

04-03-00

Please type a plus sign (+) inside this box [+]

PTO/SB/05 (12/97)

Approved for use through 09/30/00. OMB 0651-0032

Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number

UTILITY PATENT APPLICATION TRANSMITTAL

(Only for new nonprovisional applications under 37 CFR 1.53(b))

Attorney Docket No. B98-031-5

First Named Inventor or Application Identifier Goodman et al.

Title Modulating Robo: Ligand Interactions

Express Mail Label No. EL071088080US

EL071088080US

ADDRESS TO: **Assistant Commissioner for Patents**
Box Patent Application
Washington, D. C. 20231

APPLICATION ELEMENTS

See MPEP chapter 600 concerning utility patent application contents.

1. X *Fee Transmittal Form
(Submit an original, and a duplicate for fee processing)
2. X Specification (Total Pages 33)
(preferred arrangement set forth below)
 - Descriptive Title of the Invention
 - Cross References to Related Applications
 - Statement Regarding Fed sponsored R & D
 - Reference to Microfiche Appendix
 - Background of the Invention
 - Brief Summary of the Invention
 - Brief Description of the Drawings (if filed)
 - Detailed Description
 - Claims
 - Abstract of the Disclosure
3. Drawings(s) (35 USC 113) (Total Sheets)
4. X Oath or Declaration (Total Pages 2)
 - a. Newly Executed (Original or Copy)
 - b. X Copy from a Prior Application (37 CFR 1.63(d))
(for Continuation/Divisional with Box 17 completed)
 - i. DELETIONS OF INVENTOR(S) Signed statement attached deleting inventor(s) named in the prior application, see 37 CFR 1.63(d)(2) and 1.33(b).
5. X Incorporation By Reference
The entire disclosure of the prior application is considered as being part of the disclosure of the accompanying application and is hereby incorporated by reference therein.
6. Microfiche Computer Program (Appendix)
7. X Nucleotide and/or Amino Acid Sequence Submission

03/31/00
JC690 U.S. PTO

jc525 U.S. PTO
09/540245
03/31/00

(if applicable, all necessary)

- a. ☐ Computer Readable Copy
b. ☒ Paper Copy (identical to computer copy)
c. ☐ Statement verifying identity of above copies
d. ☒ Request to use CRF from another application

ACCOMPANYING APPLICATION PARTS

8. ☒ Assignment Papers (cover sheet & documents(s))
a. Assignment to The Regents of the University of California, of record in prior application
9. ☒ 37 CFR 3.73(b) Statement (where there is an assignee)
☒ Power of Attorney (copy from prior application)
10. ☐ English Translation Document (if applicable)
11. ☒ a. Information Disclosure Statement (IDS)/PTO-1449
☐ b. Copies of IDS Citations
12. ☒ Preliminary Amendment
13. ☒ Return Receipt Postcard (MPEP 503) (Should be specifically itemized)
14. ☒ a. *Small Entity Statement(s) (copy from prior application)
☒ b. Statement filed in prior application, Status still proper and desired
15. ☐ Certified Copy of Priority Document(s) (if foreign priority is claimed)
16. ☐ Other: _____

*NOTE FOR ITEMS 1 & 14: IN ORDER TO BE ENTITLED TO PAY SMALL ENTITY FEES, A SMALL ENTITY STATEMENT IS REQUIRED (37 CFR 1.27) , EXCEPT IF ONE FILED IN A PRIOR APPLICATION IS RELIED UPON (37 CFR 1.28)

17. Priority

This application claims priority to prior application No: 09/191,647

Prior application information: Examiner Terry McKelvey Group Art Unit 1636

18. Correspondence Address



23379

____ Customer Number or Bar Code Label

PATENT TRADEMARK OFFICE
(Insert Customer No. or Attach Bar Code Label here)

or

☒ Correspondence Address Below

NAME Richard Aron Osman

SCIENCE & TECHNOLOGY LAW GROUP

ADDRESS 75 Denise Drive

CITY Hillsborough STATE California ZIP CODE 94010

Country U.S.A. TELEPHONE (650) 343-4341 FAX (650) 343-4342

Name: Richard Aron Osman Registration No: 36,627

Signature: _____

Date: March 31, 2000

Docket No. B98-031-3

**VERIFIED STATEMENT (DECLARATION) CLAIMING SMALL ENTITY
STATUS (37 CFR 1.9(f) and 1.27(d)) - NONPROFIT ORGANIZATION**

I hereby declare that I am an official empowered to act on behalf of the nonprofit organization identified below:

NAME OF ORGANIZATION: The Regents of the University of California
ADDRESS: 1111 Franklin Street, 5th Floor, Oakland, CA 94607-5200

TYPE OF ORGANIZATION

University or other Institution of Higher Education

I hereby declare that the nonprofit organization identified above qualifies as a nonprofit organization as defined in 37 CFR 1.9(e) for purposes of paying reduced fees under Section 41(a) or (b) of Title 35, United States Code, with regard to the invention entitled *Modulating Robo: Ligand Interactions* by inventors Corey S. Goodman, Thomas Kidd, Katja Brosse and Marc Tessier-Lavigne described in the application filed on November 13, 1998 having USSN 09/191,647.

I hereby declare that rights under contract or law have been conveyed to and remain with the nonprofit organization identified above with regard to the invention entitled *Modulating Robo: Ligand Interactions*, and having the named inventor(s): Goodman et al. described in the Application filed on November 13, 1998 having USSN 09/191,647. If the rights held by the above identified nonprofit organization are not exclusive, each individual, concern or organization having rights in the invention is listed below* and no rights to the invention are held by any person, other than the inventor, who would not qualify as an independent inventor under 37 CFR 1.9(c) if that person made the invention, or by any concern which would not qualify as a small business concern under 37 CFR 1.9(d), or a nonprofit organization under 37 CFR 1.9(e). *NOTE: Separate verified statements are required from each named person, concern or organization having rights to the invention averring to their status as small entities. (37 CFR 1.27)

Name: _____

Address: _____

☐ Individual ☐ Small Business Concern ☐ Nonprofit Organization

I acknowledge the duty to file, in this application or patent, notification of any change in status resulting in loss of entitlement to small entity status prior to paying, or at the time of paying, the earliest of the issue fee or any maintenance fee due after the date on which status as a small entity is no longer appropriate. (37 CFR 1.28(b)).

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application, any patent issuing thereon, or any patent to which this verified statement is directed.

Name/Title: William A. Hoskins, Director, Office of Technology Licensing
Address: Office of Technology Licensing, 2150 Shattuck Ave., Berkeley, CA 94704

SIGNATURE

William A. Hoskins

DATE

FEB 11, 1999

00760-031-030

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of: Goodman et al.

Group Art Unit: 1636

Serial No. Not yet assigned

Examiner: McKelvey, T.

Filed: Herewith

Attorney Docket No. B98-031-5

For: *Modulating Robo: Ligand Interactions*

Date: March 31, 2000

This is a divisional application of US Serial
No. 09/191,647, filed November 13, 1998.

PRELIMINARY AMENDMENT

The Assistant Commissioner for Patents
Washington, DC 20231

Dear Commissioner:

Please enter the following preliminary amendments in this divisional application:

IN THE SPECIFICATION

At page 1, line 3, please delete "Inventors: Corey S. Goodman, Thomas Kidd, Katja Brose and Marc Tessier-Lavigne".

At page 1, lines 9-10, please change "is a continuing ... Nov 14 1997" to --claims the benefit of U.S. Application No. 09/191,647, filed November 13, 1998, which claims the benefit of U.S. Provisional Application No. 60/081,057 filed Apr 07, 1998 and U.S. Provisional Application No. 60/065,544, filed Nov 14, 1997--.

At page 6, line 17, immediately following "Tables 3 and 4.", please insert the attached Tables 1 and 2, and please change "white backgrounded sequences in Tables 3 and 4" to --unboxed sequences in Tables 1 and 2--. Also, please insert page numbers on the pages of the attached Tables 1 and 2 corresponding to their position in the specification and please renumber the subsequent pages of the specification accordingly.

At page 6, line 18, please change "Table 1" to --Table 3--.

At page 6, line 10, please change "fragemtns" to --fragments--.

At page 6, line 20, please change "Table 1" to --Table 3--.

At page 7, line 24, please change "Table 2" to --Table 4--.

At page 8, line 1, please change "Table 2" to --Table 4--.

At page 11, lines 21-22, please change "Table 5 (A and B)" to --Table 5--.

At page 11, immediately before line 23, please insert the following text:

--Table 5. Hybridization Probes for Regions of Human Slit-1.

Hybridization probe for first leucine rich repeat region	SEQ ID NO:01, nucleotides 82-828
Hybridization probe for second leucine rich repeat region	SEQ ID NO:01, nucleotides 829-1503
Hybridization probe for third leucine rich repeat region	SEQ ID NO:01, nucleotides 1504-2166
Hybridization probe for fourth leucine rich repeat region	SEQ ID NO:01, nucleotides 2167-2751
Hybridization probe for EGF repeats one to five	SEQ ID NO:01, nucleotides 2752-3327
Hybridization probe for the sixth EGF repeat and preceding spacer region	SEQ ID NO:01, nucleotides 3328-3461
Hybridization probe for the 99aa spacer/G-loop region	SEQ ID NO:01, nucleotides 3462-3987
Hybridization probe for EGF repeats seven to nine	SEQ ID NO:01, nucleotides 3988-4341
Hybridization probe for the cysteine knot region	SEQ ID NO:01, nucleotides 4342-4575

Table 6. PCR Primers for regions of Human Slit.

PCR Primers for first leucine rich repeat region	Forward: SEQ ID NO:01, nucleotides 82-111 Reverse: reverse complement of SEQ ID NO:01, nucleotides 799-828
PCR Primers for second leucine rich repeat region	Forward: SEQ ID NO:01, nucleotides 829-858 Reverse: reverse complement of SEQ ID NO:01, nucleotides 1474-1503

PCR Primers for third leucine rich repeat region	Forward: SEQ ID NO:01, nucleotides 1504-1533 Reverse: reverse complement of SEQ ID NO:01, nucleotides 2137-2166
PCR Primers for fourth leucine rich repeat region	Forward: SEQ ID NO:01, nucleotides 2167-2196 Reverse: reverse complement of SEQ ID NO:01, nucleotides 2722-2751
PCR Primers for EGF repeats one to five	Forward: SEQ ID NO:01, nucleotides 2752-2781 Reverse: reverse complement of SEQ ID NO:01, nucleotides 3298-3327
PCR Primers for the sixth EGF repeat and preceding spacer region	Forward: SEQ ID NO:01, nucleotides 3328-3357 Reverse: reverse complement of SEQ ID NO:01, nucleotides 3432-3461
PCR Primers for the 99aa spacer/G-loop region	Forward: SEQ I:01, nucleotides 3462-3491 Reverse: reverse complement of SEQ ID NO:01, nucleotides 3958-3987
PCR Primers for EGF repeats seven to nine	Forward: SEQ ID NO:01, nucleotides 3988-4017 Reverse: reverse complement of SEQ ID NO:01, nucleotides 4312-4341
PCR Primers for the cysteine knot region	Forward: SEQ ID NO:01, nucleotides 4342-4371 Reverse: reverse complement of SEQ ID NO:01, nucleotides 4546-4575

Leucine rich repeats (LRRs) are predicted by comparison with known proteins and by the presence of a leucine rich core sequence. In slit proteins, the LRRs are flanked by conserved sequences referred to as the amino- and carboxy- flanking regions. These flanking regions are found in other known proteins, but only in a few instances are both the amino- and carboxy-flank regions present in a single protein. The so called "99aa spacer" is actually ~200 amino acids in the Drosophila protein and 174 amino acids in Human Slit-1. This region shows homology to the G-loops of laminin A chains.

Cysteine knots are dimerisation domains defined by the presence of six cysteine residues between which disulphide bridges form. The only absolutely conserved residues are the six cysteines, and spacing between them is highly variable, apart from between cysteines 2 and 3, and 5 and 6. The glycine between cysteines 2 and 3 is only present in a subset of cysteine knots.

Drosophila slit and Human slit-1 both have an extra cysteine after cysteines 5 and 6: this may serve as an intermolecular bond. Human Slit-1 gene displays the overall structure of the Drosophila gene, and amino acid conservation is found along the entire length of the protein (48% homology at the amino acid sequence excluding the signal sequence; see below). The Human gene has an extra LRR between LRR2 and LRR3 of the first set of LRRs; in the third set, the Human gene has an extra LRR between LRR3 and LRR4. The Human gene has two extra EGF repeats, on either side of the seventh EGF repeat in Drosophila slit.

Isolation of Human slit-1

Searching of the EST database revealed an EST, ab16g10.r1, with homology to the 99aa spacer region of Drosophila slit. This EST was used to probe a Human fetal brain library (Stratagene), and clones for Human slit-1 were isolated.

Features of Human Slit Predicted Protein

Signal sequence	SEQ ID NO:02, residues 7-24
First amino-flanking sequence	SEQ ID NO:02, residues 28-59
First set of Leucine Rich Repeats	SEQ ID NO:02, residues 60-179 (6 repeats)
First carboxy-flanking sequence	SEQ ID NO:02, residues 180-276
Second amino-flanking sequence	SEQ ID NO:02, residues 277-308
Second set of Leucine Rich Repeats	SEQ ID NO:02, residues 309-434 (5 repeats)
Second carboxy-flanking sequence	SEQ ID NO:02, residues 435-501
Third amino-flanking sequence	SEQ ID NO:02, residues 502-533
Third set of Leucine Rich Repeats	SEQ ID NO:02, residues 534-560 (5 repeats)
Third carboxy-flanking sequence	SEQ ID NO:02, residues 661-722
Fourth amino-flanking sequence	SEQ ID NO:02, residues 723-754
Fourth set of Leucine Rich Repeats	SEQ ID NO:02, residues 755-855 (4 repeats)
Fourth carboxy-flanking sequence	SEQ ID NO:02, residues 856-917
First EGF repeat	SEQ ID NO:02, residues 918-952
Second EGF repeat	SEQ ID NO:02, residues 953-993
Third EGF repeat	SEQ ID NO:02, residues 994-1031

Fourth EGF repeat	SEQ ID NO:02, residues 1032-1071
Fifth EGF repeat	SEQ ID NO:02, residues 1072-1109
Spacer	SEQ ID NO:02, residues 1110-1116
Sixth EGF repeat	SEQ ID NO:02, residues 1117-1153
“99aa spacer”	SEQ ID NO:02, residues 1155-1329
Seventh EGF repeat	SEQ ID NO:02, residues 1330-1366
Eighth EGF repeat	SEQ ID NO:02, residues 1367-1404
Ninth EGF repeat	SEQ ID NO:02, residues 1405-1447
Cysteine knot motif	SEQ ID NO:02, residues 1448-1525

Amino acid identity between Drosophila and Human Slit-1

First amino-flanking sequence	53%
First set of Leucine Rich Repeats	52% (54%, 67%, NA, 38%, 54%, 50%)
First carboxy-flanking sequence	42%
Second amino-flanking sequence	50%
Second set of Leucine Rich Repeats	60% (54%, 58%, 67%, 71%, 50%)
Second carboxy-flanking sequence	62%
Third amino-flanking sequence	56%
Third set of Leucine Rich Repeats	49% (46%, 46%, 42%, NA, 58%)
Third carboxy-flanking sequence	36%
Fourth amino-flanking sequence	53%
Fourth set of Leucine Rich Repeats	48% (25%, 58%, 46%, 63%)
Fourth carboxy-flanking sequence	63%
First EGF repeat	34%
Second EGF repeat	46%
Third EGF repeat	46%
Fourth EGF repeat	35%
Fifth EGF repeat	47%

Spacer	22%
Sixth EGF repeat	40%
“99aa spacer”	38%
Seventh EGF repeat	11% /NA
Eighth EGF repeat	44%
Nineth EGF repeat	29% /NA
Cysteine knot motif	34%

NA: not applicable due to absence of homologous repeat.

Figures for individual LLRs are shown in brackets.--

Immediately prior to the claims, please insert the enclosed 23 page section entitled “SEQUENCE LISTING”.

Please delete all pages after page 17.

IN THE CLAIMS

Please cancel all pending claims (1-7) and add new claims 8-27 as follows:

8. (New) A mixture comprising an isolated Slit polypeptide and a Robo polypeptide, said Slit polypeptide comprising at least one sequence selected from the group consisting of SEQ ID NOS:2-14, or a subsequence thereof having at least 16 consecutive amino acid residues thereof.

9. (New) A mixture according to claim 8, the Slit polypeptide comprising at least one sequence selected from the group consisting of SEQ ID NOS:2-14, or a subsequence thereof having at least 64 consecutive amino acid residues thereof.

10. (New) A mixture according to claim 8, the Slit polypeptide comprising at least one sequence selected from the group consisting of SEQ ID NOS:2-14.

11. (New) A mixture according to claim 8, the Slit polypeptide comprising SEQ ID NO:2, or a subsequence thereof having at least 16 consecutive amino acid residues thereof.

12. (New) A mixture according to claim 8, the Slit polypeptide comprising SEQ ID NO:2, or a subsequence thereof having at least 64 consecutive amino acid residues thereof.

037669 “Slit2”

13. (New) A mixture according to claim 8, the Slit polypeptide comprising at least one sequence selected from the group consisting of SEQ ID NOS:3-6, or a subsequence thereof having at least 16 consecutive amino acid residues thereof.
14. (New) A mixture according to claim 8, the Slit polypeptide comprising at least one sequence selected from the group consisting of SEQ ID NOS:3-6, or a subsequence thereof having at least 64 consecutive amino acid residues thereof.
15. (New) A mixture according to claim 8, the Slit polypeptide comprising SEQ ID NO:7, or a subsequence thereof having at least 16 consecutive amino acid residues thereof.
16. (New) A mixture according to claim 8, the Slit polypeptide comprising SEQ ID NO:7, or a subsequence thereof having at least 64 consecutive amino acid residues thereof.
17. (New) A mixture according to claim 8, the Slit polypeptide at comprising least one sequence selected from the group consisting of SEQ ID NOS:8-9, or a subsequence thereof having at least 16 consecutive amino acid residues thereof.
18. (New) A mixture according to claim 8, the Slit polypeptide comprising at least one sequence selected from the group consisting of SEQ ID NOS:8-9, or a subsequence thereof having at least 64 consecutive amino acid residues thereof.
19. (New) A mixture according to claim 8, the Slit polypeptide comprising at least one sequence selected from the group consisting of SEQ ID NOS:10-11, or a subsequence thereof having at least 16 consecutive amino acid residues thereof.
20. (New) A mixture according to claim 8, the Slit polypeptide comprising at least one sequence selected from the group consisting of SEQ ID NOS:10-11, or a subsequence thereof having at least 64 consecutive amino acid residues thereof.
21. (New) A mixture according to claim 8, the Slit polypeptide comprising at least one sequence selected from the group consisting of SEQ ID NOS:12-14, or a subsequence thereof having at least 16 consecutive amino acid residues thereof.

22. (New) A mixture according to claim 8, the Slit polypeptide comprising at least one sequence selected from the group consisting of SEQ ID NOS:12-14, or a subsequence thereof having at least 64 consecutive amino acid residues thereof.

23. (New) A mixture according to claim 8, the Slit polypeptide comprising at least one sequence selected from the group consisting of SEQ ID NO:2, amino acid residues 1-10; SEQ ID NO:2, amino acid residues 29-41; SEQ ID NO:2, amino acid residues 75-87; SEQ ID NO:2, amino acid residues 92-109; SEQ ID NO:2, amino acid residues 132-141; SEQ ID NO:2, amino acid residues 192-205; SEQ ID NO:2, amino acid residues 258-269; SEQ ID NO:2, amino acid residues 295-311; SEQ ID NO:2, amino acid residues 316-330; SEQ ID NO:2, amino acid residues 373-382; SEQ ID NO:2, amino acid residues 403-422; SEQ ID NO:2, amino acid residues 474-485; SEQ ID NO:2, amino acid residues 561-576; SEQ ID NO:2, amino acid residues 683-697; SEQ ID NO:2, amino acid residues 768-777; SEQ ID NO:2, amino acid residues 798-813; SEQ ID NO:2, amino acid residues 882-894; SEQ ID NO:2, amino acid residues 934-946; SEQ ID NO:2, amino acid residues 1054-1067; SEQ ID NO:2, amino acid residues 1181-1192; SEQ ID NO:2, amino acid residues 1273-1299; SEQ ID NO:2, amino acid residues 1383-1397; SEQ ID NO:2, amino acid residues 1468-1477; and SEQ ID NO:2, amino acid residues 1508-1517.

24. (New) A mixture according to claim 8, comprising a cell comprising the Robo polypeptide.

24. (New) A mixture according to claim 10, comprising a cell comprising the Robo polypeptide.

25. (New) A mixture according to claim 8, comprising a candidate agent for modulating an interaction of the Robo and Slit polypeptides.

26. (New) A method of identifying agents which modulate the interaction of a Robo polypeptide and a Slit polypeptide, said method comprising the steps of:

combining the mixture of claim 8 and a candidate agent under conditions whereby, but for the presence of the agent, the Robo and Slit polypeptides engage in a first interaction, and determining a second interaction of the Robo and Slit polypeptides in the presence of the agent,

wherein a difference between the first and second interactions indicates that the agent modulates the interaction of the Robo and Slit polypeptides.

27. (New) A method of identifying agents which modulate the interaction of a Robo polypeptide and a Slit polypeptide, said method comprising the steps of:
combining the mixture of claim 8 and a candidate agent under conditions whereby, but for the presence of the agent, the Robo and Slit polypeptides engage in a first interaction, and
determining a second interaction of the Robo and Slit polypeptides in the presence of the agent,

wherein a difference between the first and second interactions indicates that the agent modulates the interaction of the Robo and Slit polypeptides.

REMARKS

The foregoing amendments to the specification are identical to those made in the parent application Serial No.: 09/191,647 except update the "Cross Reference to Related Application" section of the instant application.

As explained in 09/191,647, these amendments to the specification are intended to address Sequence Listing formalities and to incorporate the sections appended to the application as filed:

(1) by relocating the bodies and headings of Tables 3 and 4 (appended to the specification as filed) to page 6, renumbering them Tables 1 and 2 respectively and reformatting the shaded areas as open boxes.

(2) by renumbering Tables 1 and 2 as filed, as Tables 3 and 4 respectively.

(3) by relocating Tables 5 (A-B) and 6 (appended to the specification as filed) and the text accompanying these tables to page 11, and renumbering Table 5 (A-B) as Table 5.

(4) by relocating the sections entitled "Features of Human Slit Predicted Protein" and "Amino acid identity between Drosophila and Human Slit-1" (appended to the specification as filed) to follow Table 6 and replacing the phrase, "presence of the core sequence ... amino acid" with -presence of a leucine rich core sequence-, deleting the four sentences "The amino flank region ... Cxxxxxx." and deleting "C[x]C[1-3x]GxC[x]C[x]CxC" in the text of the section entitled "Features of Human Slit Predicted Protein".


(5) by relocating the data of "SEQ ID NO:1 & 2" (appended to the specification as filed) to a section entitled "SEQUENCE LISTING" immediately prior to the claims. The sequences disclosed in this sequence listing are identical to those disclosed in the deleted "SEQ ID NO:1 &

2" and Tables 3 and 4, as originally filed.

In accordance with 37 CFR 1.821(e), please use the computer readable form of the Sequence Listing submitted on April 8, 1999 in Application No. 09/191,647, filed November 13, 1998 as the computer readable form of the Sequence Listing for the instant Application. It is understood that the Patent and Trademark Office will make the necessary change in Application number and filing date for the computer readable form that will be used for the instant Application. The sequence information on the written Sequence Listing enclosed herewith is identical to that recorded in computer readable form filed in the above referenced Application No. 09/191,647 and includes no new matter.

The foregoing amendments introduce no new matter.

Respectfully submitted,
SCIENCE & TECHNOLOGY LAW GROUP


Richard Aron Osman, Ph.D., Reg. No. 36,627
Tel: (650) 343-4341; Fax: (650) 343-4342

Inventors: Corey S. Goodman, Thomas Kidd, Katja Brose and Marc Tessier-Lavigne

5 The research carried out in the subject application was supported in part by NIH grant NS18366. The government may have rights in any patent issuing on this application.

CROSS-REFERENCE TO RELATED APPLICATION

10 This application is a continuing application under 35USC120 of USSN 60/081,057 filed Apr 07, 1998 and of USSN 60/065,544, filed Nov 14, 1997.

INTRODUCTION

Field of the Invention

The field of this invention is methods for modulating nerve cell function.

Background

15 In the developing CNS, most growth cones confront the midline at one or multiple times during their journey and make the decision of whether to cross or not to cross. This decision is not a static one but rather changes according to the growth cone's history. For example, in the Drosophila ventral nerve cord, about 10% of the interneurons project their axons only on their own side, in some cases extending near the midline without crossing it. 20 The other 90% of the interneurons first project their axons across the midline and then turn to project longitudinally on the other side, often extending near the midline. These growth cones, having crossed the midline once, never cross it again, in spite of their close proximity to the midline and the many commissural axons crossing it. This decision to cross or not to cross is not unique to Drosophila but is common to a variety of midline structures in all 25 bilaterally symmetric nervous systems.

30 What midline signals and growth cone receptors control whether growth cones do or do not cross the midline? After crossing once, what mechanism prevents these growth cones from crossing again? A related issue concerns the nature of the midline as an intermediate target. If so many growth cones find the midline such an attractive structure, why do they cross over it rather than linger? Why do they leave the midline?

One approach to find the genes encoding the components of such a system is to screen for mutations in which either too many or too few axons cross the midline. Such a large-scale mutant screen was previously conducted in *Drosophila*, and led to the identification of two key genes: *commissureless* (*comm*) and *roundabout* (*robo*) (Seeger et al., 1993; reviewed by Tear et al., 1993). In *comm* mutant embryos, commissural growth cones initially orient toward the midline but then fail to cross it and instead recoil and extend on their own side. *robo* mutant embryos, on the other hand, display the opposite phenotype in that too many axons cross the midline; many growth cones that normally extend only on their own side instead now project across the midline and axons that normally cross the midline only once instead appear to cross and recross multiple times (Seeger et al., 1993; present disclosure). Double mutants of *comm* and *robo* display a *robo*-like phenotype.

How do *comm* and *robo* function to control midline crossing? Neither the initial paper on these genes (Seeger et al., 1993) nor the cloning of *comm* (Tear et al., 1996) resolved this question. *comm* encodes a novel surface protein expressed on midline cells. In fact, the *comm* paper (Tear et al., 1996) ended with the hope that future work would "... help shed some light on the enigmatic function of Comm."

USSN 08/971,172 (*Robo, A Novel Family of Polypeptides and Nucleic Acids*, by inventors: Corey S. Goodman, Thomas Kidd, Kevin J. Mitchell and Guy Tear) discloses the cloning and characterization of *robo* in various species including *Drosophila*; *Robo* polypeptides and polypeptide-encoding nucleic acids are also disclosed and their genbank accession numbers referenced in Kidd et al. (1998) Cell 92, 205-215. *robo* encodes a new class of guidance receptor with 5 immunoglobulin (Ig) domains, 3 fibronectin type III domains, a transmembrane domain, and a long cytoplasmic domain. *Robo* defines a new subfamily of Ig superfamily proteins that is highly conserved from fruit flies to mammals. The *Robo* ectodomains, and in particular the first two Ig domains, are highly conserved from fruit fly to human, while the cytoplasmic domains are more divergent. Nevertheless, the cytoplasmic domains contain three highly conserved short proline-rich motifs which may represent binding sites for SH3 or other binding domains in linker or signaling molecules.

For those axons that never cross the midline, *Robo* is expressed on their growth cones from the outset; for the majority of axons that do cross the midline, *Robo* is expressed at high levels on their growth cones only after they cross the midline. Transgenic rescue experiments

in *Drosophila* reveal that Robo can function in a cell autonomous fashion, consistent with it functioning as a receptor. Thus, in *Drosophila*, Robo appears to function as the gatekeeper controlling midline crossing; growth cones expressing high levels of Robo are prevented from crossing the midline. Robo proteins in mammals function in a similar manner in controlling axon guidance.

USSN 60/065,54 (*Methods for Modulating Nerve Cell Function*, by inventors: Corey S. Goodman, Thomas Kidd, Guy Tear, Claire Russell and Kevin Mitchell) discloses ectopic and overexpression studies revealing that Comm down-regulates Robo expression, demonstrating that Comm functions to suppress the Robo-mediated midline repulsion. These results show that the levels of Comm at the midline and Robo on growth cones are tightly intertwined and dynamically regulated to assure that only certain growth cones cross the midline, that those growth cones that cross do not linger at the midline, and that once they cross they never do so again.

Relevant Literature

Seeger, M., Tear, G., Ferres-Marco, D. and Goodman C.S. (1993) *Neuron* 10, 409 - 426; Tear G., et al. (1996) *Neuron* 16, 501 - 514; Rothberg et al. (1990) *Genes Dev* 4, 2169-2187; Kidd et al. (1998) *Cell* 92, 205-215.

SUMMARY OF THE INVENTION

The invention provides methods and compositions relating to vertebrate Slit1 and Slit2, collectively vertebrate Slit) polypeptides, related nucleic acids, polypeptide domains thereof having vertebrate Slit-specific structure and activity, and modulators of vertebrate Slit function. Vertebrate Slit polypeptides can regulate cell, especially nerve cell, function and morphology. The polypeptides may be produced recombinantly from transformed host cells from the subject vertebrate Slit polypeptide encoding nucleic acids or purified from mammalian cells. The invention provides isolated vertebrate Slit hybridization probes and primers capable of specifically hybridizing with natural vertebrate Slit genes, vertebrate Slit-specific binding agents such as specific antibodies, and methods of making and using the subject compositions in diagnosis (e.g. genetic hybridization screens for vertebrate Slit transcripts), therapy (e.g. to modulate nerve cell growth) and in the biopharmaceutical industry (e.g. as immunogens, reagents for isolating vertebrate Slit genes and polypeptides,

reagents for screening chemical libraries for lead pharmacological agents, etc.).

The invention also provides methods and compositions for identifying agents which modulate the interaction of Robo and a Robo ligand and for modulating the interaction of Robo and a Robo ligand. The methods for identifying Robo:ligand modulators find particular application in commercial drug screens. These methods generally comprise (1) combining a Robo polypeptide, a Slit polypeptide and a candidate agent under conditions whereby, but for the presence of the agent, the Robo and Slit polypeptides engage in a first interaction, and (2) determining a second interaction of the Robo and Slit polypeptides in the presence of the agent, wherein a difference between the first and second interactions indicates that the agent modulates the interaction of the Robo and Slit polypeptides. The subject methods of modulating the interaction of Robo and a Robo ligand involve combining a Robo polypeptide, a Slit polypeptide and a modulator under conditions whereby, but for the presence of the modulator, the Robo and Slit polypeptides engage in a first interaction, whereby the Robo and Slit polypeptides engage in a second interaction different from the first interaction. In a particular embodiment, the modulator is dominant negative form of the Robo or Slit polypeptide.

DETAILED DESCRIPTION OF THE INVENTION

The subject methods include screens for agents which modulate Robo:ligand interactions and methods for modulating Robo:ligand interactions. Robo activation is found to regulate a wide variety of cell functions, including cell-cell interactions, cell mobility, morphology, etc. Slit polypeptides are disclosed as specific activators and inactivators of Robo polypeptides. Accordingly, the invention provides methods for modulating targeted cell function comprising the step of modulating Robo activation by contacting the cell with a modulator of a Robo:Slit interaction..

The targeted Robo polypeptide is generally naturally expressed on the targeted cells. The nucleotide sequences of exemplary natural cDNAs encoding drosophila 1, drosophila 2, C. elegans, human 1, human 2 and mouse 1 Robo polypeptides and their translates are described in Kidd et al. (1998) Cell 92, 205-215 and USSN 08/971,172. The targeted Robo polypeptides comprise at least a functional Robo domain, which domain has Robo-specific amino acid sequence and binding specificity or function. Preferred Robo domains comprise

at least 8, preferably at least 16, more preferably at least 32, most preferably at least 64 consecutive residues of a natural full length Robo. In a particular embodiment, the domains comprise one or more structural/functional Robo immunoglobulin, fibronectin or cytoplasmic motif domains described herein. The subject domains provide Robo-specific antigens and/or immunogens, especially when coupled to carrier proteins. For example, peptides corresponding to Robo- and human Robo-specific domains are covalently coupled to keyhole limpet antigen (KLH) and the conjugate is emulsified in Freund's complete adjuvant. Laboratory rabbits are immunized according to conventional protocol and bled. The presence of Robo-specific antibodies is assayed by solid phase immunosorbent assays using immobilized Robo polypeptides. Generic Robo-specific peptides are readily apparent as conserved regions in aligned Robo polypeptide sequences. In addition, species-specific antigenic and/or immunogenic peptides are readily apparent as diverged extracellular or cytosolic regions in alignments. Human Robo-specific antibodies are characterized as uncross-reactive with non-human Robo polypeptides.

The subject domains provide Robo domain specific activity or function, such as Robo-specific cell, especially neuron modulating or modulating inhibitory activity, Robo-ligand-binding or binding inhibitory activity. Robo-specific activity or function may be determined by convenient *in vitro*, cell-based, or *in vivo* assays: e.g. *in vitro* binding assays, cell culture assays, in animals (e.g. gene therapy, transgenics, etc.), etc. The binding target may be a natural intracellular binding target, a Robo regulating protein or other regulator that directly modulates Robo activity or its localization; or non-natural binding target such as a specific immune protein such as an antibody, or a Robo specific agent such as those identified in screening assays such as described below. Robo-binding specificity may be assayed by binding equilibrium constants (usually at least about 10^7 M^{-1} , preferably at least about 10^8 M^{-1} , more preferably at least about 10^9 M^{-1}), by the ability of the subject polypeptide to function as negative mutants in Robo-expressing cells, to elicit Robo specific antibody in a heterologous host (e.g. a rodent or rabbit), etc.

Similarly, the Slit polypeptide is conveniently selected from Slit polypeptides which specifically activate or inhibit the activation of the Robo polypeptide. Exemplary suitable Slit polypeptides (a) comprises a vertebrate Slit sequence disclosed herein, especially human Slit-1 (SEQ ID NO:02), or a deletion mutant thereof which specifically modulates Robo

expression or a sequence about 60-70%, preferably about 70-80%, more preferably about 80-90%, more preferably about 90-95%, most preferably about 95-99% similar to a vertebrate Slit sequence disclosed herein as determined by Best Fit analysis using default settings and is other than a natural drosophila Slit sequence, preferably other than a natural invertebrate Slit sequence, and/or (b) is encoded by a nucleic acid comprising a natural Slit encoding sequence (such as a natural human Slit-1 encoding sequence, SEQ ID NO:01) or a fragment thereof at least 36, preferably at least 72, more preferably at least 144, most preferably at least 288 nucleotides in length which specifically hybridizes thereto. Suitable deletion mutants are readily screened in Robo binding or activation assays as described herein. Preferred Slit domains/deletion mutants/fragments comprise at least 8, preferably at least 16, more preferably at least 32, most preferably at least 64 consecutive residues of a disclosed vertebrate Slit sequences and provide a Slit specific activity, such as Slit-specific antigenicity and/or immunogenicity, especially when coupled to carrier proteins as described above for Robo above. Suitable natural Slit encoding sequence fragments are of length sufficient to encode such Slit domains. In a particular embodiment, the Slit fragments comprise species specific fragments; such fragments are readily discerned from alignments of the disclosed sequences, see, e.g. shown as white backgrounded sequences in Tables 3 and 4. Exemplary such human Slit-1 immunogenic and/or antigenic peptides are shown in Table 1.

Table 1. Immunogenic human Slit-1 polypeptides eliciting Slit-1 specific rabbit polyclonal antibody: Slit polypeptide-KLH conjugates immunized per protocol described above.

<u>Slit Polypeptide</u>	<u>Immunogenicity</u>	<u>Slit Polypeptide</u>	<u>Immunogenicity</u>
SEQ ID NO:02, res. 1-10	+++	SEQ ID NO:02, res. 561-576	+++
SEQ ID NO:02, res. 29-41	+++	SEQ ID NO:02, res. 683-697	+++
SEQ ID NO:02, res. 75-87	+++	SEQ ID NO:02, res. 768-777	+++
SEQ ID NO:02, res. 92-109	+++	SEQ ID NO:02, res. 798-813	+++
SEQ ID NO:02, res. 132-141	+++	SEQ ID NO:02, res. 882-894	+++
SEQ ID NO:02, res. 192-205	+++	SEQ ID NO:02, res. 934-946	+++
SEQ ID NO:02, res. 258-269	+++	SEQ ID NO:02, res. 1054-1067	+++
SEQ ID NO:02, res. 295-311	+++	SEQ ID NO:02, res. 1181-1192	+++
SEQ ID NO:02, res. 315-330	+++	SEQ ID NO:02, res. 1273-1299	+++
SEQ ID NO:02, res. 373-382	+++	SEQ ID NO:02, res. 1383-1397	+++
SEQ ID NO:02, res. 403-422	+++	SEQ ID NO:02, res. 1468-1477	+++
SEQ ID NO:02, res. 474-485	+++	SEQ ID NO:02, res. 1508-1517	+++

The subject domains provide Slit domain specific activity or function, such as Slit-

specific cell, especially neuron modulating or modulating inhibitory activity, Slit-ligand-binding or binding inhibitory activity. Slit-specific activity or function may be determined by convenient *in vitro*, cell-based, or *in vivo* assays: e.g. *in vitro* binding assays, cell culture assays, in animals (e.g. gene therapy, transgenics, etc.), etc. The binding target may be a natural intracellular binding target, a Slit regulating protein or other regulator that directly modulates Slit activity or its localization; or non-natural binding target such as a specific immune protein such as an antibody, or a Slit specific agent such as those identified in screening assays such as described below. Slit-binding specificity may be assayed by binding equilibrium constants (usually at least about 10^7 M^{-1} , preferably at least about 10^8 M^{-1} , more preferably at least about 10^9 M^{-1}), by the ability of the subject polypeptide to function as negative mutants in Slit-expressing cells, to elicit Slit specific antibody in a heterologous host (e.g a rodent or rabbit), etc.

In one embodiment, the Slit polypeptides are encoded by a nucleic acid comprising SEQ ID NO:01 or a fragment thereof which hybridizes with a full-length strand thereof, preferably under stringent conditions. Such nucleic acids comprise at least 36, preferably at least 72, more preferably at least 144 and most preferably at least 288 nucleotides of SEQ ID NO:01. Demonstrating specific hybridization generally requires stringent conditions, for example, hybridizing in a buffer comprising 30% formamide in 5 x SSPE (0.18 M NaCl, 0.01 M NaPO_4 , pH7.7, 0.001 M EDTA) buffer at a temperature of 42°C and remaining bound when subject to washing at 42°C with 0.2 x SSPE (Conditions I); preferably hybridizing in a buffer comprising 50% formamide in 5 x SSPE buffer at a temperature of 42°C and remaining bound when subject to washing at 42°C with 0.2 x SSPE buffer at 42°C (Conditions II). Exemplary nucleic acids which hybridize with a strand of SEQ ID NO:01 are shown in Table 2.

Table 2. Exemplary nucleic acids which hybridize with a strand of SEQ ID NO:01 under Conditions I and/or II.

	<u>Slit Nucleic Acid</u>	<u>Hybridization</u>	<u>Slit Nucleic Acid</u>	<u>Hybridization</u>
5	SEQ ID NO:01, nucl. 1-47	+	SEQ ID NO:01, nucl. 1258-1279	+
	SEQ ID NO:01, nucl. 58-99	+	SEQ ID NO:01, nucl. 1375-1389	+
	SEQ ID NO:01, nucl. 95-138	+	SEQ ID NO:01, nucl. 1581-1595	+
	SEQ ID NO:01, nucl. 181-220	+	SEQ ID NO:01, nucl. 1621-1639	+
	SEQ ID NO:01, nucl. 261-299	+	SEQ ID NO:01, nucl. 1744-1755	+
	SEQ ID NO:01, nucl. 274-315	+	SEQ ID NO:01, nucl. 1951-1969	+
10	SEQ ID NO:01, nucl. 351-389	+	SEQ ID NO:01, nucl. 2150-2163	+
	SEQ ID NO:01, nucl. 450-593	+	SEQ ID NO:01, nucl. 2524-2546	+
	SEQ ID NO:01, nucl. 524-546	+	SEQ ID NO:01, nucl. 2761-2780	+
	SEQ ID NO:01, nucl. 561-608	+	SEQ ID NO:01, nucl. 2989-2999	+
	SEQ ID NO:01, nucl. 689-727	+	SEQ ID NO:01, nucl. 3108-3117	+
15	SEQ ID NO:01, nucl. 708-737	+	SEQ ID NO:01, nucl. 3338-3351	+
	SEQ ID NO:01, nucl. 738-801	+	SEQ ID NO:01, nucl. 3505-3514	+
	SEQ ID NO:01, nucl. 805-854	+	SEQ ID NO:01, nucl. 3855-3867	+
	SEQ ID NO:01, nucl. 855-907	+	SEQ ID NO:01, nucl. 4010-4025	+
	SEQ ID NO:01, nucl. 910-953	+	SEQ ID NO:01, nucl. 4207-4219	+
20	SEQ ID NO:01, nucl. 1007-1059	+	SEQ ID NO:01, nucl. 4333-4345	+
	SEQ ID NO:01, nucl. 1147-1163	+	SEQ ID NO:01, nucl. 4521-4529	+

A wide variety of cell types express Robo polypeptides subject to regulation by the disclosed methods, including many neuronal cells, transformed cells, infected (e.g. virus) cells, etc. Ascertaining Robo binding or activation is readily effected by binding assays or cells function assays as disclosed herein or in the cited copending applications. Accordingly, indications for the subject methods encompass a wide variety of cell types and function, including axon outgrowth, tumor cell invasion or migration, etc. The target cell may reside in culture or in situ, i.e. within the natural host. For in situ applications, the compositions are added to a retained physiological fluid such as blood or synovial fluid. For CNS administration, a variety of techniques are available for promoting transfer of the therapeutic across the blood brain barrier including disruption by surgery or injection, drugs which transiently open adhesion contact between CNS vasculature endothelial cells, and compounds which facilitate translocation through such cells. Slit polypeptides may also be amenable to direct injection or infusion, topical, intratracheal/nasal administration e.g. through aerosol, intraocularly, or within/on implants e.g. fibers e.g. collagen, osmotic pumps, grafts comprising appropriately transformed cells, etc. A particular method of administration involves coating, embedding or derivatizing fibers, such as collagen fibers, protein polymers,

etc. with therapeutic polypeptides. Other useful approaches are described in Otto et al. (1989) J Neuroscience Research 22, 83-91 and Otto and Unsicker (1990) J Neuroscience 10, 1912-1921. Generally, the amount administered will be empirically determined, typically in the range of about 10 to 1000 $\mu\text{g/kg}$ of the recipient and the concentration will generally be in the range of about 50 to 500 $\mu\text{g/ml}$ in the dose administered. Other additives may be included, such as stabilizers, bactericides, etc. will be present in conventional amounts.

In one embodiment, the invention provides administering the subject Slit polypeptides in combination with a pharmaceutically acceptable excipient such as sterile saline or other medium, gelatin, an oil, etc. to form pharmaceutically acceptable compositions. The compositions and/or compounds may be administered alone or in combination with any convenient carrier, diluent, etc. and such administration may be provided in single or multiple dosages. Useful carriers include solid, semi-solid or liquid media including water and non-toxic organic solvents. In another embodiment, the invention provides the subject compounds in the form of a pro-drug, which can be metabolically converted to the subject compound by the recipient host. A wide variety of pro-drug formulations for polypeptide-based therapeutics are known in the art. The compositions may be provided in any convenient form including tablets, capsules, troches, powders, sprays, creams, etc. As such the compositions, in pharmaceutically acceptable dosage units or in bulk, may be incorporated into a wide variety of containers. For example, dosage units may be included in a variety of containers including capsules, pills, etc. The compositions may be advantageously combined and/or used in combination with other therapeutic or prophylactic agents, different from the subject compounds. In many instances, administration in conjunction with the subject compositions enhances the efficacy of such agents, see e.g. *Goodman & Gilman's The Pharmacological Basis of Therapeutics*, 9th Ed., 1996, McGraw-Hill.

In another aspect, the invention provides methods of screening for agents which modulate Robo-Slit interactions. These methods generally involve forming a mixture of a Robo-expressing cell, a Slit polypeptide and a candidate agent, and determining the effect of the agent on the amount of Robo expressed by the cell. The methods are amenable to automated, cost-effective high throughput screening of chemical libraries for lead compounds. Identified reagents find use in the pharmaceutical industries for animal and

human trials; for example, the reagents may be derivatized and rescreened in *in vitro* and *in vivo* assays to optimize activity and minimize toxicity for pharmaceutical development. Cell and animal based neural guidance/repulsion assays are described in detail in the experimental section below.

5 The amino acid sequences of the disclosed vertebrate Slit polypeptides are used to back-translate Slit polypeptide-encoding nucleic acids optimized for selected expression systems (Holler et al. (1993) Gene 136, 323-328; Martin et al. (1995) Gene 154, 150-166) or used to generate degenerate oligonucleotide primers and probes for use in the isolation of natural Slit-encoding nucleic acid sequences ("GCG" software, Genetics Computer Group, Inc, Madison WI). Slit-encoding nucleic acids used in Slit-expression vectors and incorporated into recombinant host cells, e.g. for expression and screening, transgenic animals, e.g. for functional studies such as the efficacy of candidate drugs for disease associated with Slit-modulated cell function, etc.

15 The invention also provides nucleic acid hybridization probes and replication / amplification primers having a vertebrate Slit cDNA specific sequence comprising a fragment of a disclosed vertebrate cDNA sequence, and sufficient to effect specific hybridization thereto. Such primers or probes are at least 12, preferably at least 24, more preferably at least 36 and most preferably at least 96 nucleotides in length. Demonstrating specific hybridization generally requires stringent conditions, for example, hybridizing in a buffer comprising 30% formamide in 5 x SSPE (0.18 M NaCl, 0.01 M NaPO₄, pH7.7, 0.001 M EDTA) buffer at a temperature of 42°C and remaining bound when subject to washing at 42°C with 0.2 x SSPE; preferably hybridizing in a buffer comprising 50% formamide in 5 x SSPE buffer at a temperature of 42°C and remaining bound when subject to washing at 42°C with 0.2 x SSPE buffer at 42°C. Slit nucleic acids can also be distinguished using alignment algorithms, such as BLASTX (Altschul *et al.* (1990) Basic Local Alignment Search Tool, J Mol Biol 215, 403-410). In addition, the invention provides nucleic acids having a sequence about 60-70%, preferably about 70-80%, more preferably about 80-90%, more preferably about 90-95%, most preferably about 95-99% similar to a vertebrate Slit sequence disclosed herein as determined by Best Fit analysis using default settings and is other than a natural drosophila Slit sequence, preferably other than a natural invertebrate Slit sequence. In a particular embodiment, the Slit polynucleotide fragments comprise species specific

fragments; such fragments are readily discerned from alignments of the disclosed sequences.

The subject nucleic acids are of synthetic/non-natural sequences and/or are recombinant, meaning they comprise a non-natural sequence or a natural sequence joined to nucleotide(s) other than that which it is joined to on a natural chromosome. The subject recombinant nucleic acids comprising the nucleotide sequence of disclosed vertebrate Slit nucleic acids, or fragments thereof, contain such sequence or fragment at a terminus, immediately flanked by (i.e. contiguous with) a sequence other than that which it is joined to on a natural chromosome, or flanked by a native flanking region fewer than 10 kb, preferably fewer than 2 kb, more preferably fewer than 500 bp, which is at a terminus or is immediately flanked by a sequence other than that which it is joined to on a natural chromosome. While the nucleic acids are usually RNA or DNA, it is often advantageous to use nucleic acids comprising other bases or nucleotide analogs to provide modified stability, etc.

The subject nucleic acids find a wide variety of applications including use as translatable transcripts, hybridization probes, PCR primers, diagnostic nucleic acids, etc.; use in detecting the presence of Slit genes and gene transcripts and in detecting or amplifying nucleic acids encoding additional Slit homologs and structural analogs. In diagnosis, Slit hybridization probes find use in identifying wild-type and mutant Slit alleles in clinical and laboratory samples. Mutant alleles are used to generate allele-specific oligonucleotide (ASO) probes for high-throughput clinical diagnoses. In therapy, therapeutic Slit nucleic acids are used to modulate cellular expression or intracellular concentration or availability of active Slit. Exemplary human Slit-1 probes and primers are shown in Table 5 (A and B) and Table 6.

The following exemplary assay is offered by way of illustration and not by way of limitation:

EXAMPLES

Protocol for Ligand Screening of Transfected COS cells.

I. Prepare the Ligand

Expression Construct: cDNAs encoding targeted Slit polypeptides are tagged with the Fc portion of human IgG and subcloned into a 293 expression vector (pCEP4: In Vitrogen).

Transfection: 293 EBNA cells are transfected (CaPO₄ method) with the Slit

expression constructs. After 24 h recovery, transfected cells are selected with G418 (geneticin, 250 ug/ml, Gibco) and hygromycin (200 ug/ml). Once the selection process is complete, cells are maintained in Dulbecco's Modified Eagles medium (DME)/10% FCS under selection.

5 Preparation of Conditioned Medium: Serum-containing media is replaced with Optimem with glutamax-1 (Gibco) and 300 ng/ml heparin (Sigma), and the cells are conditioned for 3 days. The media is collected and spun at 3,000xg for 10 minutes. The supernatant is filtered (0.45 um) and stored with 0.1% azide at 4°C for no more than 2 weeks.

10 II. Prepare Truncated Receptor (Positive Control)

Expression Construct: cDNA encoding a corresponding Robo C-terminal deletion mutant comprising the extracellular domain (truncated immediately N-terminal to the transmembrane region) is subcloned into a 293 expression vector (pCEP4: In Vitrogen).

15 Transfection: 293 EBNA cells are transfected (CaPO₄ method) with the receptor mutant expression construct. After 24 h recovery, transfected cells are selected with G418 (geneticin, 250 ug/ml, Gibco) and hygromycin (200 ug/ml). Once the selection process is complete, cells are maintained in Dulbecco's Modified Eagles medium (DME)/10% FCS under selection.

20 Preparation of Conditioned Medium: Serum-containing media is replaced with Optimem with glutamax-1 (Gibco) and 300 ng/ml heparin (Sigma), and the cells are conditioned for 3 days. The media is collected and spun at 3,000xg for 10 minutes. The supernatant is filtered (0.45 um) and stored with 0.1% azide at 4°C for no more than 2 weeks.

II. Transfect COS Cells

Seed COS cells (250,000) on 35 mm dishes in 2 ml DME/10% FCS.

25 18-24 h later, dilute 1 ug of Robo-encoding DNA (cDNA cloned into pMT21 expression vector) into 200 ul serum-free media and add 6 ul of Lipofectamine (Gibco). Incubate this solution at room temperature for 15-45 min.

Wash the cells 2X with PBS. Add 800 ul serum-free media to the tube containing the lipid-DNA complexes. Overlay this solution onto the washed cells.

30 Incubate for 6 h. Stop the reaction by adding 1 ml DMA/20% FCS. Refeed cells. Assay cells 12 hr later.

III. Ligand Binding Assay

Wash plates of transfected COS cells 1X with cold PBS (plus Ca/Mg)/1% goat serum. Add 1 ml conditioned media neat and incubate 90 min at room temp.

Wash plates 3X with PBS (plus Ca/Mg). On the 4th wash, add 1 ml 50% methanol to 1 ml PBS. Then add 1 ml methanol. Evacuate and add 1 ml methanol.

5 Wash 1X with PBS. Wash 1X PBS/1% goat serum.

Add secondary antibody (1-to-2,000 anti-human Fc conjugated to alkaline phosphatase (Jackson Lab)) in PBS/1% goat serum. Incubate 30-40 min room temp.

10 Wash 3X with PBS. Wash 1X alkaline phosphatase buffer (100 mM Tris-Cl, pH 9.5, 100 mM NaCl, 5 mM MgCl₂). Prepare alkaline phosphatase reagents: 4.5 ul/ml NBT and 3.5 ul/ml BCIP (Gibco) in alkaline phosphatase buffer.

Incubate 10-30 min, quench with 20 mM EDTA in PBS. Cells that have bound Slit polypeptides are visible by the presence of a dark purple reaction product.

In parallel incubations, positive controls are provided by titrating Slit binding with serial dilutions of the mutant receptor conditioned medium.

15 IV. Results: Binding of Slit to Robo

Cell expressing mammalian Slit polypeptides were shown to bind Robo. No reactivity was observed with control COS cells or with receptor-expressing COS cells in the presence of the secondary antibody but in the absence of the Slit-Fc fusion. Binding was observed to receptor-expression cells using a construct in which a Slit polypeptide is fused directly to alkaline phosphatase, for which a secondary antibody is not required. Receptor deletion mutants titrate the Slit-Robo binding, serving as a positive control for inhibition assays.

Protocol for high throughput Robo-Slit binding assay.

A. Reagents:

- 25 - Neutralite Avidin: 20 µg/ml in PBS.
- Blocking buffer: 5% BSA, 0.5% Tween 20 in PBS; 1 hour at room temperature.
- Assay Buffer: 100 mM KCl, 20 mM HEPES pH 7.6, 1 mM MgCl₂, 1% glycerol, 0.5% NP-40, 50 mM β-mercaptoethanol, 1 mg/ml BSA, cocktail of protease inhibitors.
- 30 - ³³P Robo polypeptide 10x stock: 10⁻⁸ - 10⁻⁶ M "cold" Robo polypeptide specific Robo domain supplemented with 200,000-250,000 cpm of labeled Robo (Beckman counter). Place in the 4°C microfridge during screening.

- Protease inhibitor cocktail (1000X): 10 mg Trypsin Inhibitor (BMB # 109894), 10 mg Aprotinin (BMB # 236624), 25 mg Benzamidine (Sigma # B-6506), 25 mg Leupeptin (BMB # 1017128), 10 mg APMSF (BMB # 917575), and 2mM NaVO₃ (Sigma # S-6508) in 10 ml of PBS.

5 - Slit: 10⁻⁷ - 10⁻⁵ M biotinylated Slit in PBS.

B. Preparation of assay plates:

- Coat with 120 µl of stock N-Avidin per well overnight at 4°C.

- Wash 2 times with 200 µl PBS.

- Block with 150 µl of blocking buffer.

10 - Wash 2 times with 200 µl PBS.

C. Assay:

- Add 40 µl assay buffer/well.

- Add 10 µl compound or extract.

- Add 10 µl ³³P-Robo (20-25,000 cpm/0.1-10 pmoles/well = 10⁻⁹- 10⁻⁷ M final conc).

15 - Shake at 25°C for 15 minutes.

- Incubate additional 45 minutes at 25°C.

- Add 40 µM biotinylated Slit (0.1-10 pmoles/40 ul in assay buffer)

- Incubate 1 hour at room temperature.

- Stop the reaction by washing 4 times with 200 µM PBS.

20 - Add 150 µM scintillation cocktail.

- Count in Topcount.

D. Controls for all assays (located on each plate):

a. Non-specific binding

b. Soluble (non-biotinylated Slit) at 80% inhibition.

25 All publications and patent applications cited in this specification are herein incorporated by reference as if each individual publication or patent application were specifically and individually indicated to be incorporated by reference. Although the foregoing invention has been described in some detail by way of illustration and example for purposes of clarity of understanding, it will be readily apparent to those of ordinary skill in
30 the art in light of the teachings of this invention that certain changes and modifications may be made thereto without departing from the spirit or scope of the appended claims.

WHAT IS CLAIMED IS:

1. A method of identifying agents which modulate the interaction of Robo and a Robo ligand, said method comprising the steps of:

combining a Robo polypeptide, a Slit polypeptide and a candidate agent under conditions whereby, but for the presence of the agent, the Robo and Slit polypeptides engage in a first interaction, wherein the Slit polypeptide specifically binds, activates or inhibits the activation of the Robo polypeptide and

determining a second interaction of the Robo and Slit polypeptides in the presence of the agent,

wherein a difference between the first and second interactions indicates that the agent modulates the interaction of the Robo and Slit polypeptides.

2. A method of modulating the interaction of Robo and a Robo ligand, said method comprising the step of

combining a Robo polypeptide, a Slit polypeptide and a modulator under conditions whereby, but for the presence of the modulator, the Robo and Slit polypeptides engage in a first interaction, wherein the Slit polypeptide specifically binds, activates or inhibits the activation of the Robo polypeptide and

whereby the Robo and Slit polypeptides engage in a second interaction different from the first interaction.

3. A method according to claim 2, wherein the modulator is a dominant negative form of the Robo or Slit polypeptide.

4. An isolated Slit polypeptide comprising a vertebrate species-specific Slit fragment.

5. An isolated vertebrate Slit polypeptide according to claim 4, wherein said vertebrate is human, mouse or rat.

6. A recombinant nucleic acid encoding a vertebrate Slit polypeptide according to claim 4.

ABSTRACT OF THE DISCLOSURE

Disclosed are methods and compositions for identifying agents which modulate the interaction of Robo and a Robo ligand and for modulating the interaction of Robo and a Robo ligand. The methods for identifying Robo:ligand modulators find particular application in commercial drug screens. These methods generally comprise (1) combining a Robo polypeptide, a Slit polypeptide and a candidate agent under conditions whereby, but for the presence of the agent, the Robo and Slit polypeptides engage in a first interaction, and (2) determining a second interaction of the Robo and Slit polypeptides in the presence of the agent, wherein a difference between the first and second interactions indicates that the agent modulates the interaction of the Robo and Slit polypeptides. The subject methods of modulating the interaction of Robo and a Robo ligand involve combining a Robo polypeptide, a Slit polypeptide and a modulator under conditions whereby, but for the presence of the modulator, the Robo and Slit polypeptides engage in a first interaction, whereby the Robo and Slit polypeptides engage in a second interaction different from the first interaction. In a particular embodiment, the modulator is dominant negative form of the Robo or Slit polypeptide.

Table 1.

Alignment of human Slit-1 (SEQ ID NO:02), human Slit-2 (SEQ ID NOS:03-06), *Drosophila* Slit-1 (SEQ ID NO:07), *C. elegans* Slit-1 (SEQ ID NOS:08-09), mouse Slit-2 (SEQ ID NOS:10-11) and mouse Slit-1 (SEQ ID NOS:12-14).

1	M	A	A	P	S	R	T	T	L	M	P	P	P	F	R	L	Q	L	R	L	-	L	I	L	P	I	L	L	L	R	H	D	A	V	H	A	E	P	Y	D-Slit	
1	M	R	G	V	G	W	Q	-	-	-	-	-	-	-	M	L	S	L	S	L	G	L	V	L	A	I	L	-	-	-	-	-	-	-	-	-	-	-	-	H-Slit1	
40	S	G	G	F	G	S	S	A	V	S	S	G	G	L	G	S	V	G	I	H	I	P	G	G	G	V	G	V	I	T	E	A	R	C	P	R	V	C	S	C	D-Slit
21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	H-Slit1		
80	T	G	L	N	V	D	C	S	H	R	G	L	T	S	V	P	R	K	I	S	A	D	V	E	R	L	E	L	Q	G	N	N	L	T	V	I	Y	E	T	D	D-Slit
35	S	G	S	T	V	D	C	H	G	L	A	L	R	S	V	P	R	N	I	P	R	N	T	E	R	L	D	L	N	G	N	N	I	T	R	I	T	K	T	D	H-Slit1
120	F	Q	R	L	T	K	L	R	M	L	Q	L	T	D	N	Q	I	H	T	I	E	R	N	S	F	Q	D	L	V	S	L	E	R	L	-	-	-	-	-	D-Slit	
75	F	A	G	L	R	H	L	R	V	L	Q	L	M	E	N	K	I	S	T	I	E	R	G	A	F	Q	D	L	K	E	L	E	R	L	R	L	N	R	N	H	H-Slit1
1	-	-	-	-	-	H	L	R	V	L	Q	L	M	E	N	R	I	S	T	I	E	R	G	A	F	Q	D	L	K	E	L	E	R	L	R	L	N	R	N	N	M-Slit1
154	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	D-Slit		
115	L	Q	L	F	P	E	L	L	F	L	G	T	A	K	L	Y	R	L	D	L	S	E	N	Q	I	Q	A	I	P	R	K	A	F	R	G	A	V	D	I	K	H-Slit1
36	L	Q	L	F	P	E	L	L	F	L	G	T	A	R	L	Y	R	L	D	L	S	E	N	Q	I	Q	A	I	P	R	K	A	F	R	G	A	V	D	I	K	M-Slit1
176	S	L	Q	L	D	N	N	Q	I	T	C	L	D	E	H	A	F	K	G	L	V	E	L	E	I	L	T	L	N	N	N	N	L	T	S	L	P	H	N	I	D-Slit
155	N	L	Q	L	D	Y	N	Q	I	S	C	I	E	D	G	A	F	R	A	L	R	D	L	E	V	L	T	L	N	N	N	N	I	T	R	L	S	V	A	S	H-Slit1
76	N	L	Q	L	D	Y	N	Q	I	S	C	I	E	D	G	A	F	R	A	L	R	D	L	E	V	L	T	L	N	N	N	N	I	T	R	L	S	V	A	S	M-Slit1
216	F	G	G	L	G	R	L	R	A	L	R	L	S	D	N	P	F	A	C	D	C	H	L	S	W	L	S	R	F	L	R	S	A	T	R	L	A	P	Y	T	D-Slit
195	F	N	H	M	P	K	L	R	T	F	R	L	H	S	N	N	L	Y	C	D	C	H	L	A	W	L	S	D	W	L	R	K	R	P	R	V	G	L	Y	T	H-Slit1
116	F	N	H	M	P	K	L	R	T	F	R	L	H	S	N	N	L	Y	C	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M-Slit1	
256	R	C	Q	S	P	S	Q	L	K	G	Q	N	V	A	D	L	H	D	Q	E	F	K	C	S	G	L	T	E	-	H	A	P	M	-	-	-	E	C	G	A	D-Slit
235	Q	C	M	G	P	S	H	L	R	G	H	N	V	A	E	V	Q	K	R	E	F	V	C	S	D	E	E	E	G	H	Q	S	F	M	A	P	S	C	S	V	H-Slit1
292	E	N	S	C	P	H	P	C	R	C	A	D	G	I	V	D	C	R	E	K	S	L	T	S	V	P	V	T	L	P	D	D	T	T	D	V	R	L	E	Q	D-Slit
275	L	H	-	C	P	A	A	C	T	C	S	N	N	I	V	D	C	R	G	K	G	L	T	E	I	P	T	N	L	P	E	T	I	T	E	I	R	L	E	Q	H-Slit1
1	-	-	-	-	-	S	P	C	T	C	S	N	N	I	V	D	C	R	G	K	G	L	M	E	I	P	A	N	L	P	E	G	I	V	E	I	R	L	E	Q	H-Slit2
332	N	F	I	T	E	L	P	P	K	S	F	S	S	F	R	R	L	R	R	I	D	L	S	N	N	N	I	S	R	I	A	H	D	A	L	S	G	L	K	Q	D-Slit
314	N	T	I	K	V	I	P	P	G	A	F	S	P	Y	K	K	L	R	R	I	D	L	S	N	N	Q	I	S	E	L	A	P	D	A	F	Q	G	L	R	S	H-Slit1
36	N	S	I	K	A	I	P	A	G	A	F	T	Q	Y	K	K	L	K	R	I	D	I	S	K	N	Q	I	S	D	I	A	P	D	A	F	Q	G	L	K	S	H-Slit2
372	L	T	T	L	V	L	Y	G	N	K	I	K	D	L	P	S	G	V	F	K	G	L	G	S	L	R	L	L	L	L	N	A	N	E	I	S	C	I	R	K	D-Slit
354	L	N	S	L	V	L	Y	G	N	K	I	T	E	L	P	K	S	L	F	E	G	L	F	S	L	Q	L	L	L	L	N	A	N	K	I	N	C	L	R	V	H-Slit1
76	L	T	S	L	V	L	Y	G	N	K	I	T	E	I	A	K	G	L	F	D	G	L	V	S	L	Q	L	L	L	L	-	-	-	-	-	-	-	-	-	H-Slit2	
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	R CE-Slit		
412	D	A	F	R	D	L	H	S	L	S	L	L	S	L	Y	D	N	N	I	Q	S	L	A	N	G	T	F	D	A	M	K	S	M	K	T	V	H	L	A	K	D-Slit
394	D	A	F	Q	D	L	H	N	L	N	L	L	S	L	Y	D	N	K	L	Q	T	I	A	K	G	T	F	S	P	L	R	A	I	Q	T	M	H	L	A	Q	H-Slit1

2 N P X I C D C N L Q W L A Q I N L Q K N I E T S G A R C E Q P K R L R K K K F A CE-Slit
 452 N P F I C D C N L R W L A D Y L H K N P I E T S G A R C E S P K R M H R R R I E D-Slit
 434 N P F I C D C H L K W L A D Y L H T N P I E T S G A R C T S P R R L A N K R I G H-Slit1

42 T L P P N K F K C K G S E S F V S M Y A D S C F I D S I C P T Q C D C Y G T T V CE-Slit
 492 S L R E E K F K C S - W G E L R M K L S G E C R M D S D C P A M C H C E G T T V D-Slit
 474 Q I K S K K F R C S G T E D Y R S K L S G D C F A D L A C P E K C R C E G T T V H-Slit1

82 D C N K R G L N T I P T S I P R F A T Q L L L S G N N I S T V D L N S N I H V L CE-Slit
 531 D C T G R R L K E I P R D I P L H T T E L L L N D N E L G R I S S D G L F G R L D-Slit
 514 D C S N Q K L N K I P E H I P Q Y T A E L R L N N N E F T V L E A T G I F K K L H-Slit1

122 E N L E X L D L S N N H I T F I N D K S F E K L S K L R E L X L N D - - - - - CE-Slit
 571 P H L V K L E L K R N Q L T G I E P N A F E G A S H I Q E L Q L G E N K I K E I D-Slit
 554 P Q L R K I N F S N N K I T D I E E G A F E G A S G V N E I L L T S N R L E N V H-Slit1
 1 - - - - - E G A F N G A A S V Q E L M L T G N Q L E T V H-Slit2

611 S N K M F - - - - - L G L H Q L K T L N D-Slit
 594 Q H K M F K G - L E S L K T L M L R S N R I T C V G N D S F I G L S S V R L L S H-Slit1
 24 H G R G F R G G L S G L K T L M L R S N L I G C V S N D T F A G L S S V R L L S H-Slit2

626 L Y D N Q I S C V M P G S F E H L N S L T S L N L A S N P F N C N C H L A W - F D-Slit
 633 L Y D N Q I T T V A P G A F D T L H S L S T L N L L A N P F N C N C Y L A W - L H-Slit1
 64 L Y D N R I T T I T P G A F T T L V S L S T I N L L S N P F N C N C H L G A G L H-Slit2

665 A E C V R K K S L N G G A A R C G A P S K V R D V Q I K D L P H S E F K C S S E D-Slit
 672 G E W L R K K R I V T G N P R C Q K P Y F L K E I P I Q D V A I Q D F T C D D G H-Slit1
 104 G K W L R K R R I V S G N P R C Q K P F F L K E I P I Q G V G H P G I H-Slit2

1 S N K N L T S F P S R I P F D CE-Slit
 705 N S E - G C L G D G Y C P P S C T C T G T V V A C S R N Q L K E I P R G I P A E D-Slit
 712 N D D N S C S P L S R C P T E C T C L D T V V R C S N K G L K V L P K G I P R D H-Slit1

16 T T E L Y L D A N Y I N E I P A H D L N R L Y S L T K L D L S H N R L I S L E N CE-Slit
 744 T S E L Y L E S N E I E Q I H Y E R I R H L R S L T R L D L S N N Q I T I L S N D-Slit
 752 V T E L Y L D G N Q F T L V P K E - L S N Y K H L T L I D L S N N R I S T L S N H-Slit1

56 N T F S N L T R L S T L I I S Y N K L R C L O P L A F N G L N A L R I L S L H G CE-Slit
 784 Y T F A N L T K L S T L I I S Y N K L Q C L O R H A L S G L N N L R V V S L H G D-Slit
 791 Q S F S N M T Q L L T L I L S Y N R L R C I P P R T F D G L K S L R L L S L H G H-Slit1

96 N D I S F L P Q S A F S N L T S I T H I A V G S N S L Y C D C N M A W F S K W I CE-Slit
 824 N R I S M L P E G S F E D L K S L T H I A L G S N P L Y C D C G L K W F S D W I D-Slit
 831 N D I S V V P E G A F N D L S A L S H L A I G A N P L Y C D C N M Q W L S D W V H-Slit1

136 K S K F I E A G I A R C E Y P N T V S N Q L L L T A Q P Y Q F T C D S K V P T K CE-Slit
 864 K L D Y V E P G I A R C A E P E Q M K D K L I L S T P S S S F V C R G R V R N D D-Slit
 871 K S E Y K E P G I A R C A G P G E M A D K L L L T T P S K K F T C Q G P V D V N H-Slit1

Table 2.

Alignment of human Slit-1 (SEQ ID NO:02) and Drosophila Slit-1 (SEQ ID NO:07)

1	M	A	A	P	S	R	T	T	L	M	P	P	P	F	R	L	Q	L	R	L	-	L	I	L	P	I	L	L	L	R	H	D	A	V	H	A	E	P	Y	D-Slit		
1	M	R	G	V	G	W	Q	-	-	-	-	-	-	-	M	L	S	L	S	L	G	L	V	L	A	I	L	-	-	-	-	-	-	-	-	-	-	-	-	-	H-Slit1	
40	S	G	G	F	G	S	S	A	V	S	S	G	G	L	G	S	V	G	I	H	I	P	G	G	V	G	V	I	T	E	A	R	C	P	R	V	C	S	C	D-Slit		
21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	N	K	V	A	P	Q	A	C	P	A	Q	C	S	C	H-Slit1
80	T	G	L	N	V	D	C	S	H	R	G	L	T	S	V	P	R	K	I	S	A	D	V	E	R	L	E	L	Q	G	N	N	L	T	V	I	Y	E	T	D	D-Slit	
35	S	G	S	T	V	D	C	H	G	L	A	L	R	S	V	P	R	N	I	P	R	N	T	E	R	L	D	L	N	G	N	N	I	T	R	I	T	K	T	D	H-Slit1	
120	F	Q	R	L	T	K	L	R	M	L	Q	L	T	D	N	Q	I	H	T	I	E	R	N	S	F	Q	D	L	V	S	L	E	R	L	-	-	-	-	-	D-Slit		
75	F	A	G	L	R	H	L	R	V	L	Q	L	M	E	N	K	I	S	T	I	E	R	G	A	F	Q	D	L	K	E	L	E	R	L	R	L	N	R	N	H	H-Slit1	
154	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	D	I	S	N	N	V	I	T	T	V	G	R	R	V	F	K	G	A	Q	S	L	R	D-Slit	
115	L	Q	L	F	P	E	L	L	F	L	G	T	A	K	L	Y	R	L	D	L	S	E	N	Q	I	Q	A	I	P	R	K	A	F	R	G	A	V	D	I	K	H-Slit1	
176	S	L	Q	L	D	N	N	Q	I	T	C	L	D	E	H	A	F	K	G	L	V	E	L	E	I	L	T	L	N	N	N	N	L	T	S	L	P	H	N	I	D-Slit	
155	N	L	Q	L	D	Y	N	Q	I	S	C	I	E	D	G	A	F	R	A	L	R	D	L	E	V	L	T	L	N	N	N	N	I	T	R	L	S	V	A	S	H-Slit1	
216	F	G	G	L	G	R	L	R	A	L	R	L	S	D	N	P	F	A	C	D	C	H	L	S	W	L	S	R	F	L	R	S	A	T	R	L	A	P	Y	T	D-Slit	
195	F	N	H	M	P	K	L	R	T	F	R	L	H	S	N	N	L	Y	C	D	C	H	L	A	W	L	S	D	W	L	R	K	R	P	R	V	G	L	Y	T	H-Slit1	
256	R	C	Q	S	P	S	Q	L	K	G	Q	N	V	A	D	L	H	D	Q	E	F	K	C	S	G	L	T	E	-	H	A	P	M	-	-	-	E	C	G	A	D-Slit	
235	Q	C	M	G	P	S	H	L	R	G	H	N	V	A	E	V	Q	K	R	E	F	V	C	S	D	E	E	E	G	H	Q	S	F	M	A	P	S	C	S	V	H-Slit1	
292	E	N	S	C	P	H	P	C	R	C	A	D	G	I	V	D	C	R	E	K	S	L	T	S	V	P	V	T	L	P	D	D	T	T	D	V	R	L	E	Q	D-Slit	
275	L	H	-	C	P	A	A	C	T	C	S	N	N	I	V	D	C	R	G	K	G	L	T	E	I	P	T	N	L	P	E	T	I	T	E	I	R	L	E	Q	H-Slit1	
332	N	F	I	T	E	L	P	P	K	S	F	S	S	F	R	R	L	R	R	I	D	L	S	N	N	N	I	S	R	I	A	H	D	A	L	S	G	L	K	Q	D-Slit	
314	N	T	I	K	V	I	P	P	G	A	F	S	P	Y	K	K	L	R	R	I	D	L	S	N	N	Q	I	S	E	L	A	P	D	A	F	Q	G	L	R	S	H-Slit1	
372	L	T	T	L	V	L	Y	G	N	K	I	K	D	L	P	S	G	V	F	K	G	L	G	S	L	R	L	L	L	N	A	N	E	I	S	C	I	R	K	D-Slit		
354	L	N	S	L	V	L	Y	G	N	K	I	T	E	L	P	K	S	L	F	E	G	L	F	S	L	Q	L	L	L	N	A	N	K	I	N	C	L	R	V	H-Slit1		
412	D	A	F	R	D	L	H	S	L	S	L	L	S	L	Y	D	N	N	I	Q	S	L	A	N	G	T	F	D	A	M	K	S	M	K	T	V	H	L	A	K	D-Slit	
394	D	A	F	Q	D	L	H	N	L	N	L	L	S	L	Y	D	N	K	L	Q	T	I	A	K	G	T	F	S	P	L	R	A	I	Q	T	M	H	L	A	Q	H-Slit1	
452	N	P	F	I	C	D	C	N	L	R	W	L	A	D	Y	L	H	K	N	P	I	E	T	S	G	A	R	C	E	S	P	K	R	M	H	R	R	R	I	E	D-Slit	
434	N	P	F	I	C	D	C	H	L	K	W	L	A	D	Y	L	H	T	N	P	I	E	T	S	G	A	R	C	T	S	P	R	R	L	A	N	K	R	I	G	H-Slit1	
492	S	L	R	E	E	K	F	K	C	S	-	W	G	E	L	R	M	K	L	S	G	E	C	R	M	D	S	D	C	P	A	M	C	H	C	E	G	T	T	V	D-Slit	
474	Q	I	K	S	K	K	F	R	C	S	G	T	E	D	Y	R	S	K	L	S	G	D	C	F	A	D	L	A	C	P	E	K	C	R	C	E	G	T	T	V	H-Slit1	
531	D	C	T	G	R	R	L	K	E	I	P	R	D	I	P	L	H	T	T	E	L	L	N	D	N	E	L	G	R	I	S	S	D	G	L	F	G	R	L	D-Slit		
514	D	C	S	N	Q	K	L	N	K	I	P	E	H	I	P	Q	Y	T	A	E	L	R	L	N	N	N	E	F	T	V	L	E	A	T	G	I	F	K	K	L	H-Slit1	

571 P H L V K L E L K R N Q L T G I E P N A F E G A S H I Q E L Q L G E N K I K E I D-Slit
554 P Q L R K I N F S N N K I T D I E E G A F E G A S G V N E I L L T S N R L E N V H-Slit1

611 S N K M F L G L H Q L K T L - - - - - N L D-Slit
594 Q H K M F K G L E S L K T L M L R S N R I T C V G N D S F I G L S S V R L L S L H-Slit1

627 Y D N Q I S C V M P G S F E H L N S L T S L N L A S N P F N C N C H L A W F A E D-Slit
634 Y D N Q I T T V A P G A F D T L H S L S T L N L L A N P F N C N C Y L A W L G E H-Slit1

667 C V R K K S L N G G A A R C G A P S K V R D V Q I K D L P H S E F K C S S E N S D-Slit
674 W L R K K R I V T G N P R C Q K P Y F L K E I P I Q D V A I Q D F T C D D G N D H-Slit1

707 E - G C L G D G Y C P P S C T C T G T V V A C S R N Q L K E I P R G I P A E T S D-Slit
714 D N S C S P L S R C P T E C T C L D T V V R C S N K G L K V L P K G I P R D V T H-Slit1

746 E L Y L E S N E I E Q I H Y E R I R H L R S L T R L D L S N N Q I T I L S N Y T D-Slit
754 E L Y L D G N Q F T L V P K E - L S N Y K H L T L I D L S N N R I S T L S N Q S H-Slit1

786 F A N L T K L S T L I I S Y N K L Q C L Q R H A L S G L N N L R V V S L H G N R D-Slit
793 F S N M T Q L L T L I L S Y N R L R C I P P R T F D G L K S L R L L S L H G N D H-Slit1

826 I S M L P E G S F E D L K S L T H I A L G S N P L Y C D C G L K W F S D W I K L D-Slit
833 I S V V P E G A F N D L S A L S H L A I G A N P L Y C D C N M Q W L S D W V K S H-Slit1

866 D Y V E P G I A R C A E P E Q M K D K L I L S T P S S S F V C R G R V R N D I L D-Slit
873 E Y K E P G I A R C A G P G E M A D K L L L T T P S K K F T C Q G P V D V N I L H-Slit1

906 A K C N A C F E Q P C Q N Q A Q C V A L P Q R E Y Q C L C Q P G Y H G K H C E F D-Slit
913 A K C N P C L S N P C K N D G T C N S D P V D F Y R C T C P Y G F K G Q D C D V H-Slit1

946 M I D A C Y G N P C R N N A T C T V L E - - E G R F S C Q C A P G Y T G A R C E D-Slit
953 P I H A C I S N P C K H G G T C H L K E G E E D G F W C I C A D G F E G E N C E H-Slit1

984 T N I D D C L G E I K C Q N N A T C I D G V E S Y K C E C Q P G F S G E F C D T D-Slit
993 V N V D D C - E D N D C E N N S T C V D G I N N Y T C L C P P E Y T G E L C E E H-Slit1

1024 K I Q F C S P E F N P C A N G A K C M D H F T H Y S C D C Q A G F H G T N C T D D-Slit
1032 K L D F C A Q D L N P C Q H D S K C I L T P K G F K C D C T P G Y V G E H C D I H-Slit1

1064 N I D D C Q N H M C Q N G G T C V D G I N D Y Q C R C P D D Y T G K Y C E G H N D-Slit
1072 D F D D C Q D N K C K N G A H C T D A V N G Y T C I C P E G Y S G L F C E F S P H-Slit1

1104 M I S M M Y P Q T S P C Q N H E C K H G V - C F Q P N A Q G S D Y L C R C H P G D-Slit
1112 - - P M V L P R T S P C D N F D C Q N G A Q C I - - - V R I N E P I C Q C L P G H-Slit1

1143 Y T G K W C E Y L T S I S F V H N N S F V E L E P L R T R P E A N V T I V F S S D-Slit
1147 Y Q G E K C E K L V S V N F I N K E S Y L Q I P S A K V R P Q T N I T L Q I A T H-Slit1

SEQ 10 NO: 1 12

SEQ 10 NO: 1

SEQ 10 NO: 2

Sequence of Human Slit-1

DNA sequence and predicted protein product. Base pair and amino acid number are indicated on the right hand side.

ATGCGCGCGGTTGGCTGGCAGATGCTGTCCCTGTCGCTGGGGTTAGTGCTGGCGATCCTGAACAAGGTGGCACCG	75
M R G V G W Q M L S L S L G L V L A I L N K V A P	25
CAGGCGTGCCCGGCGCAGTGCTCTTGCTCGGGCAGCACAGTGGACTGTCACGGGCTGGCGCTGCGCAGCGTGCCC	150
Q A C P A Q C S C S G S T V D C H G L A L R S V P	50
AGGAATATCCCCCGCAACACCGAGAGACTGGATTAAATGGAAATAACATCACAAGAATTACGAAGACAGATTTT	225
R N I P R N T E R L D L N G N N I T R I T K T D F	75
GCTGGTCTTAGACATCTAAGAGTTCTTCAGCTTATGGAGAATAAGATTAGCACCATTGAAAGAGGAGCATTCCAG	300
A G L R H L R V L Q L M E N K I S T I E R G A F Q	100
GATCTTAAAGAACTAGAGAGACTGCGTTTAAACAGAAATCACCTTCAGCTGTTTCCTGAGTTGCTGTTTCTTGGG	375
D L K E L E R L R L N R N H L Q L F P E L L F L G	125
ACTGCGAAGCTATACAGGCTTGATCTCAGTGAAAACCAAATTCAGGCAATCCCAAGGAAAGCTTCCGTTGGGGCA	450
T A K L Y R L D L S E N Q I Q A I P R K A F R G A	150
GTTGACATAAAAAATTTGCAACTGGATTACAACCAGATCAGCTGTATTGAAGATGGGGCATTGAGGGCTCTCCGG	525
V D I K N L Q L D Y N Q I S C I E D G A F R A L R	175
GACCTGGAAGTGCTCACTCTCAACAATAACAACATTACTAGACTTTCTGTGGCAAGTTTCAACCATATGCCTAAA	600
D L E V L T L N N N N I T R L S V A S F N H M P K	200
CTTAGGACTTTTCGACTGCATTCAAACAACCTGTATTGTGACTGCCACCTGGCCTGGCTCTCCGACTGGCTTCGC	675
L R T F R L H S N N L Y C D C H L A W L S D W L R	225
AAAAGCGCTCGGGTTGGTCTGTACACTCAGTGATGGGGCCCTCCACCTGAGAGGCCATAATGTAGCCGAGGTT	750
K R P R V G L Y T Q C M G P S H L R G H N V A E V	250
CAAAAACGAGAATTTGTCTGCAGTGATGAGGAAGAAGGTCACCAGTCATTATGGCTCCTTCTGTAGTGTTTTG	825
Q K R E F V C S D E E E G H Q S F M A P S C S V L	275
CACTGCCCTGCCGCTGTACCTGTAGCAACAATATCGTAGACTGTCGTGGGAAAGGTCTCACTGAGATCCCCACA	900
H C P A A C T C S N N I V D C R G K G L T E I P T	300
AATCTTCCAGAGACCATCACAGAAATACGTTTGAACAGAACACAATCAAAGTCATCCCTCCTGGAGCTTTCTCA	975
N L P E T I T E I R L E Q N T I K V I P P G A F S	325
CCATATAAAAAGCTTAGACGAATTGACCTGAGCAATAATCAGATCTCTGAACTTGCAACAGATGCTTTCCAAGGA	1050
P Y K K L R R I D L S N N Q I S E L A P D A F Q G	350
CTACGCTCTCTGAATTCACCTGTCTCTATGGAAATAAAATCACAGAACTCCCCAAAAGTTTATTGAAGGACTG	1125
L R S L N S L V L Y G N K I T E L P K S L F E G L	375
TTTTCTTACAGCTCCTATTATTGAATGCCAACAAGATAAACTGCCTTCGGGTAGATGCTTTTCAGGATCTCCAC	1200
F S L Q L L L L N A N K I N C L R V D A F Q D L H	400
AACTGAACTTCTCTCCCTATATGACAACAAGCTTCAGACCATCGCCAAGGGGACCTTTTCACCTCTTCGGGCC	1275
N L N L L S L Y D N K L Q T I A K G T F S P L R A	425
ATTCAAATATGCATTGGCCCCAGAACCCTTTATTGTGACTGCCATCTCAAGTGGCTAGCGGATTATCTCCAT	1350
I Q T M H L A Q N P F I C D C H L K W L A D Y L H	450
ACCAACCCGATTGAGACCAAGTGGTGGCCGTTGCACCAGCCCCCGCCGCTGGCAAACAAAAGAATTGGACAGATC	1425
T N P I E T S G A R C T S P R R L A N K R I G Q I	475
AAAAGCAAGAAATTCGTTGTTTCAGGTACAGAAGATTATCGATCAAAATTAAGTGGAGACTGCTTTGCGGATCTG	1500
K S K K F R C S G T E D Y R S K L S G D C F A D L	500

00404500 " 03400

GCTTGCCCTGAAAAGTGTGCTGTGAAGGAACACAGTAGATTGCTCTAATCAAAGCTCAACAAAATCCCGGAG	1575
A C P E K C R C E G T T V D C S N Q K L N K I P E	525
CACATTCCCCAGTACACTGCAGAGTTGCGTCTCAATAATAATGAATTTACCGTGTGGAAGCCACAGGAATCTTT	1650
H I P Q Y T A E L R L N N N E F T V L E A T G I F	550
AAGAACTTCCTCAATTACGTAAAATAAACTTTAGCAACAATAAGATCACAGATATTGAGGAGGGAGCATTTGAA	1725
K K L P Q L R K I N F S N N K I T D I E E G A F E	575
GGAGCATCTGGTGTAATGAAATACTTCTTACGAGTAATCGTTTGGAAAATGTGCAGCATAAGATGTTCAAGGGA	1800
G A S G V N E I L L T S N R L E N V Q H K M F K G	600
TTGGAAGCCCTCAAACCTTTGATGTTGAGAAGCAATCGAATAACCTGTGTGGGAATGACAGTTTCATAGGACTC	1875
L E S L K T L M L R S N R I T C V G N D S F I G L	625
AGTTCTGTGCGTTTGCTTTCTTTGTATGATAATCAAATTACTACAGTTGCACCAGGGGCATTGATACTCTCCAT	1950
S S V R L L S L Y D N Q I T T V A P G A F D T L H	650
TCTTTATCTACTCTAAACCTCTTGGCCAATCCTTTTAACTGTAAGTCTACCTGGCTTGGTTGGGAGAGTGGCTG	2025
S L S T L N L L A N P F N C N C Y L A W L G E W L	675
AGAAAGAAGAGAATTGTCACGGGAAATCCTAGATGTCAAAAACCATACTTCTGAAAGAAATACCCATCCAGGAT	2100
R K K R I V T G N P R C Q K P Y F L K E I P I Q D	700
GTGGCCATTTCAGGACTTCACCTTGTGATGACGGAATGATGACAATAGTTGCTCCCCACTTTCTCGCTGTCTACT	2175
V A I Q D F T C D D G N D D N S C S P L S R C P T	725
GAATGTACTTGCTTGGATACAGTCGTCGGATGTAGCAACAAGGGTTGAAGGTCTTGCCGAAAGGTATTCCAAGA	2250
E C T C L D T V V R C S N K G L K V L P K G I P R	750
GATGTCACAGAGTTGTATCTGGATGGAACCAATTTACACTGGTTCCCAAGGAAGTCTCCAACACAAACATTTA	2325
D V T E L Y L D G N Q F T L V P K E L S N Y K H L	775
ACACTTATAGACTTAAGTAACAACAGAATAAGCACGCTTTCTAATCAGAGCTTCAGCAACATGACCCAGCTCCTC	2400
T L I D L S N N R I S T L S N Q S F S N M T Q L L	800
ACCTTAATTCTTAGTTACAACCGTCTGAGATGTATTCTCTCGCACCTTTGATGGATTAAAGTCTCTTCGATT	2475
T L I L S Y N R L R C I P P R T F D G L K S L R L	825
CTTTCTCTACATGGAAATGACATTTCTGTTGTGCCTGAAGGTGCTTTCAATGATCTTTCTGCATTATCACATCTA	2550
L S L H G N D I S V V P E G A F N D L S A L S H L	850
GCAATTGGAGCCAACCTCTTTACTGTGATTGTAACATGCAGTGCTTATCCGACTGGGTGAAGTCGGAATATAAG	2625
A I G A N P L Y C D C N M Q W L S D W V K S E Y K	875
GAGCCTGGAATTGCTCGTTGTGCTGGTCTGGAGAAATGGCAGATAAACTTTTACTCACAACCTCCCTCCAAAAA	2700
E P G I A R C A G P G E M A D K L L L T T P S K K	900
TTTACCTGTCAAGGTCCTGTGGATGTCAATATTCTAGCTAAGTGAACCCCTGCCTATCAAATCCGTGTAAAAAT	2775
F T C Q G P V D V N I L A K C N P C L S N P C K N	925
GATGGCACATGTAATAGTGATCCAGTTGACTTTTACCGATGCACCTGTCCATATGGTTTCAAGGGGCAGGACTGT	2850
D G T C N S D P V D F Y R C T C P Y G F K G Q D C	950
GATGTCCCAATTCATGCCTGCATCAGTAACCCATGTAAACATGGAGGAAGTGGCCACTTAAAGGAAGGAGAAGAA	2925
D V P I H A C I S N P C K H G G T C H L K E G E E	975
GATGGATTCTGGTGTATTGTGCTGATGGATTGAAGGAGAAAATTGTGAAGTCAACGTTGATGATTGTGAAGAT	3000
D G F W C I C A D G F E G E N C E V N V D D C E D	1000
AATGACTGTGAAAATAATCTACATGTGTGATGGCATTAAATACTACACATGCCTTTGCCACCTGAGTATACA	3075
N D C E N N S T C V D G I N N Y T C L C P P E Y T	1025

GGTGAGTTGTGTGAGGAGAAGCTGGACTTCTGTGCCAGGACCTGAACCCCTGCCAGCAGCATTCAAAGTGCATC	3150
G E L C E E K L D F C A Q D L N P C Q H D S K C I	1050
CTAACTCCAAAGGGATTCAAATGTGACTGCACACCAGGGTACGTAGGTGAACACTGCGACATCGATTTTGACGAC	3225
L T P K G F K C D C T P G Y V G E H C D I D F D D	1075
TGCCAAGACAACAAGTGTAAAAACGGAGCCCACTGCACAGATGCAGTGAACGGCTATACGTGCATATGCCCCGAA	3300
C Q D N K C K N G A H C T D A V N G Y T C I C P E	1100
GGTTACAGTGGCTTGTCTGTGAGTTTTCTCCACCCATGGTCTCCCTCGTACCAGCCCCTGTGATAATTTTGAT	3375
G Y S G L F C E F S P P M V L P R T S P C D N F D	1125
TGTCAGAATGGAGCTCAGTGTATCGTCAGAATAAATGAGCCAATATGTCAGTGTTCCTGGCTATCAGGGAGAA	3450
C Q N G A Q C I V R I N E P I C Q C L P G Y Q G E	1150
AAGTGTGAAAAATGGTTAGTGTGAATTTTATAAACAAAGAGTCTTATCTTCAGATTCTTCAGCCAAGGTTCCGG	2525
K C E K L V S V N F I N K E S Y L Q I P S A K V R	1175
CCTCAGACGAACATAACACTTCAGATTGCCACAGATGAAGACAGCGGAATCCTCCTGTATAAGGGTGACAAAGAC	3600
P Q T N I T L Q I A T D E D S G I L L Y K G D K D	1200
CATATCGGGTAGAACTCTATCGGGGGCGTGTTCGTGCCAGCTATGACACCGGCTCTCATCCAGCTTCTGCCATT	3675
H I A V E L Y R G R V R A S Y D T G S H P A S A I	1225
TACAGTGTGGAGACAATCAATGATGGAAACTTCCACATTGTGGAATACTTGCCTTGGATCAGAGTCTCTCTTG	3750
Y S V E T I N D G N F H I V E L L A L D Q S L S L	1250
TCCGTGGATGGTGGGAACCCCAAAATCATCACTAACTTGTCAAAGCAGTCCACTCTGAATTTTGACTCTCCACTC	3825
S V D G G N P K I I T N L S K Q S T L N F D S P L	1275
TATGTAGGAGGCATGCCAGGGAAGAGTAACGTGGCATCTCTGCCAGGCCCCTGGGCAGAACGGAACCAGCTTC	3900
Y V G G M P G K S N V A S L R Q A P G Q N G T S F	1300
CACGGCTGCATCCGGAACCTTTACATCAACAGTGAGCTGCAGGACTTCCAGAAGGTGCCGATGCAAAACAGGCATT	3975
H G C I R N L Y I N S E L Q D F Q K V P M Q T G I	1325
TTGCCTGGCTGTGAGCCATGCCACAAGAAGGTGTGTGCCCATGGCACATGCCAGCCCAGCAGCCAGGCAGGCTTC	4050
L P G C E P C H K K V C A H G T C Q P S S Q A G F	1350
ACCTGCGAGTGCCAGGAAGGATGGATGGGGCCCTCTGTGACCAACGGACCAATGACCCTTGCCTTGGAAATAAA	4125
T C E C Q E G W M G P L C D Q R T N D P C L G N K	1375
TGCGTACATGGCACCTGCTTGCCCATCAATGCGTTCTCCTACAGCTGTAAGTGCTTGGAGGGCCATGGAGGTGTC	4200
C V H G T C L P I N A F S Y S C K C L E G H G G V	1400
CTCTGTGATGAAGAGGAGGATCTGTTTAACCCATGCCAGGCGATCAAGTGAAGCATGGGAAGTGCAGGCTTTCA	4275
L C D E E E D L F N P C Q A I K C K H G K C R L S	1425
GGTCTGGGGCAGCCCTACTGTGAATGCAGCAGTGGATACACGGGGACAGCTGTGATCGAGAAATCTCTTGTGCA	4350
G L G Q P Y C E C S S G Y T G D S C D R E I S C R	1450
GGGAAAGGATAAGAGATTATTACCAAAAGCAGCAGGGCTATGCTGCTTGCCAAACAACCAAGAAGGTGTCCCGA	4425
G E R I R D Y Y Q K Q Q G Y A A C Q T T K K V S R	1475
TTAGAGTGCAGAGGTGGGTGTGCAGGAGGGCAGTGTGTGGACCGCTGAGGAGCAAGCGGCGGAAATACTCTTTC	4500
L E C R G G C A G G Q C C G P L R S K R R K Y S F	1500
GAATGCACTGACGGCTCCTCCTTTGTGGACGAGGTTGAGAAAGTGGTGAAGTGCAGGCTGTACGAGGTGTGTGTC	4575
E C T D G S S F V D E V E K V V K C G C T R C V S	1525

Features of Human Slit-1 predicted protein

Co-ordinates refer to amino acid number.

Signal sequence:	7-24	
First amino-flanking sequence:	28-59	
First set of Leucine Rich Repeats:	60-179	(6 repeats)
First carboxy-flanking sequence:	180-276	
Second amino-flanking sequence:	277-308	
Second set of Leucine Rich Repeats:	309-434	(5 repeats)
Second carboxy-flanking sequence:	435-501	
Third amino-flanking sequence:	502-533	
Third set of Leucine Rich Repeats:	534-660	(5 repeats)
Third carboxy-flanking sequence:	661-722	
Fourth amino-flanking sequence:	723-754	
Fourth set of Leucine Rich Repeats:	755-855	(4 repeats)
Fourth carboxy-flanking sequence:	856-917	
First EGF repeat:	918-952	
Second EGF repeat:	953-993	
Third EGF repeat:	994-1031	
Fourth EGF repeat:	1032-1071	
Fifth EGF repeat:	1072-1109	
Spacer:	1110-1116	
Sixth EGF repeat:	1117-1154	
"99aa spacer":	1155-1329	
Seventh EGF repeat:	1330-1366	
Eighth EGF repeat:	1367-1404	
Nineth EGF repeat:	1405-1447	
Cysteine knot motif:	1448-1525	

Leucine rich repeats (LRRs) are predicted by comparison with known proteins and by the presence of the core sequence: xxxFxxLxxLxxLxLxxNxLxxL, where x is any amino acid. In slit proteins, the LRRs are flanked by conserved sequences referred to as the amino- and carboxy- flanking regions. These flanking regions are found in other known proteins, but only in a few instances are both the amino- and carboxy- flank regions present in a single protein. The amino flank region is defined by the consensus: CPxxCxC[1-6x]GxxVDCxxxGL[2-4x] α Pxx α Pxdttx where x is any amino acid, [x] represents a variable number of amino acids and α is a hydrophobic residue. Lower case indicates a residue is not highly conserved at a particular position. The carboxy flank region is defined by the consensus: P β xC γ Cx α [1-5x]W α [14-26x]RCxxPxxxxxxxx α xx α xxxF[1-3x]Cs[3-17x] where β is W or a hydrophobic residue, γ is D or N and α is a hydrophobic residue.

Epidermal growth factor (EGF) repeats are predicted by the consensus: CxxxxCxnngxC[6-9x] α CxCxxG α xGxxCxxxxxx.

The so called "99aa spacer" is actually ~200 amino acids in the Drosophila protein and 174 amino acids in Human Slit-1. This region shows homology to the G-loops of laminin A chains.

Cysteine knots are dimerisation domains defined by the presence of six cysteine residues between which disulphide bridges form. The only absolutely conserved residues are the six cysteines, and spacing between them is highly variable, apart from between cysteines 2 and 3, and 5 and 6: C[x]C[1-3x]GxC[x]C[x]CxC. The glycine between cysteines 2 and 3 is only present in a subset of cysteine knots. Drosophila slit and Human slit-1 both have an extra cysteine after cysteines 5 and 6: this may serve as an intermolecular bond.

Human Slit-1 gene displays the overall structure of the Drosophila gene, and amino acid conservation is found along the entire length of the protein (48% homology at the amino acid sequence excluding the signal sequence; see below). The Human gene has an extra LRR between LRR2 and LRR3 of the first set of LRRs; in the third set, the Human gene has an extra LRR between LRR3 and LRR4. The Human gene has two extra EGF repeats, on either side of the seventh EGF repeat in Drosophila slit.

Isolation of Human slit-1

Searching of the EST database revealed an EST, ab16g10.r1, with homology to the 99aa spacer region of Drosophila slit. This EST was used to probe a Human fetal brain library (Stratagene), and clones for Human slit-1 were isolated.

Amino acid identity between Drosophila Slit and Human Slit-1

First amino-flanking sequence:	53%	
First set of Leucine Rich Repeats:	52%	(54%, 67%, NA, 38%, 54%, 50%)
First carboxy-flanking sequence:	42%	
Second amino-flanking sequence:	50%	
Second set of Leucine Rich Repeats:	60%	(54%, 58%, 67%, 71%, 50%)
Second carboxy-flanking sequence:	62%	
Third amino-flanking sequence:	56%	
Third set of Leucine Rich Repeats:	49%	(46%, 46%, 42%, NA, 58%)
Third carboxy-flanking sequence:	36%	
Fourth amino-flanking sequence:	53%	
Fourth set of Leucine Rich Repeats:	48%	(25%, 58%, 46%, 63%)
Fourth carboxy-flanking sequence:	63%	
First EGF repeat:	34%	
Second EGF repeat:	46%	
Third EGF repeat:	46%	
Fourth EGF repeat:	35%	
Fifth EGF repeat:	47%	
Spacer:	22%	
Sixth EGF repeat:	40%	
"99aa spacer":	38%	
Seventh EGF repeat:	11%/NA	
Eighth EGF repeat:	44%	
Ninth EGF repeat:	29%/NA	
Cysteine knot motif:	34%	

NA: not applicable due to absence of homologous repeat.
 Figures for individual LRRs are shown in brackets.

Slit sequences

1	M A A P S R T T L M P P P F R L Q L R L - L I L P I L L L L R H D A V H A E P Y	D-Slit
1	M R G V G W Q - - - - - M L S L S L G L V L A I L - - - - -	H-Slit1
40	S G G F G S S A V S S G G L G S V G I H I P G G G V G V I T E A R C P R V C S C	D-Slit
21	- - - - - - - - - - - - - - - N K V A P Q A C P A Q C S C	H-Slit1
80	T G L N V D C S H R G L T S V P R K I S A D V E R L E L Q G N N L T V I Y E T D	D-Slit
35	S G S T V D C H G L A I R S V P R N I P R N T E R L D L N G N N I T R I T K T D	H-Slit1
120	F Q R L T K L R M L Q L T D N Q I H T I E R N S F Q D L V S L E R L - - - - -	D-Slit
75	F A G L R H L R V L Q L M E N K I S T I E R G A F Q D L K E L E R L R L N R N H	H-Slit1
1	H L R V L Q L M E N R I S T I E R G A F Q D L K E L E R L R L N R N N	M-Slit1
154	- - - - - - - - - - - - - D I S N N V I T T V G R R V F K G A Q S L R	D-Slit
115	L Q L F P E L L F L G T A K L Y R L D L S E N Q I Q A I P R K A F R G A V D I K	H-Slit1
36	L Q L F P E L L F L G T A R L Y R L D L S E N O I Q A I P R K A F R G A V D I K	M-Slit1
176	S L Q L D N N Q I T C L D E H A F K G L V E L E I L T L N N N N L T S L P H N I	D-Slit
155	N L Q L D Y N Q I S C I E D G A F R A L R D L E V L T L N N N N I T R L S V A S	H-Slit1
76	N L Q L D Y N O I S C I E D G A F R A L R D L E V L T L N N N N I T R L S V A S	M-Slit1
216	F G G L G R L R A L R L S D N P F A C D C H L S W L S R F L R S A T R L A P Y T	D-Slit
195	F N H M P K L R T F R L H S N N L Y C D C H L A W L S D W L R K R P R V G L Y T	H-Slit1
116	F N H M P K L R T F R L H S N N L Y C	M-Slit1
256	R C Q S P S Q L K G Q N V A D L H D Q E F K C S G L T E - H A P M - - - E C G A	D-Slit
235	Q C M G P S H L R G H N V A E V Q K R E F V C S D E E E G H Q S F M A P S C S V	H-Slit1
292	E N S C P H P C R C A D G I V D C R E K S L T S V P V T L P D D T T D V R L E Q	D-Slit
275	L H - C P A A A C T C S N N I V D C R G K G L T E I P T N L P E T I T E I R L E Q	H-Slit1
1	S P C T C S N N I V D C R G K G L M E I P A N L P E G I V E I R L E Q	H-Slit2
332	N F I T E L P P K S F S S F R R L R R I D L S N N N I S R I A H D A L S G L K Q	D-Slit
314	N T I K V I P P G A F S P Y K K L R R I D L S N N Q I S E L A P D A F Q G L R S	H-Slit1
36	N S I K A I P A G A F T Q Y K K L K R I D I S K N O I S D I A P D A F Q G L K S	H-Slit2
372	L T T L V L Y G N K I K D L P S G V F K G L G S L R L L L L N A N E I S C I R K	D-Slit
354	L N S L V L Y G N K I T E L P K S L F E G L F S L Q L L L L N A N K I N C L R V	H-Slit1
76	L T S L V L Y G N K I T E I A K G L F D G L V S L Q L L L L	H-Slit2
1		R CE-Slit
412	D A F R D L H S L S L L S L Y D N N I Q S L A N G T F D A M K S M K T V H L A K	D-Slit-
394	D A F Q D L H N L N L L S L Y D N K L Q T I A K G T F S P L R A I Q T M H L A Q	H-Slit1
2	N P X I C D C N L Q W L A Q I N L Q K N I E T S G A R C E Q P K R L R K K K F A	CE-Slit
452	N P F I C D C N L R W L A D Y L H K N P I E T S G A R C E S P K R M H R R R I E	D-Slit
434	N P F I C D C H L K W L A D Y L H T N P I E T S G A R C T S P R R L A N K R I G	H-Slit1
42	T L P P N K F K C K G S E S F V S M Y A D S C F I D S I C P T Q C D C Y G T T V	CE-Slit
492	S L R E E K F K C S - W G E L R M K L S G E C R M D S D C P A M C H C E G T T V	D-Slit
474	Q I K S K K F R C S G T E D Y R S K L S G D C F A D L A C P E K C R C E G T T V	H-Slit1

82	DCNKRG LNTIP TSI PRFATQ LLLSG NNISTV D LNSNIHVL	CE-Slit
531	DCTGRRLKEIP RDIP LHTTE LLLNDNELGR ISSDGLFGRL	D-Slit
514	DCSNQK LNKIPEHIPQYTAELRLNNNEFTVLEATGIFKKL	H-Slit1
122	ENLEX L DLSNN HITFINDKSFEKLSK LRELX LND	CE-Slit
571	PHLVKLELKRNLQ LTGIEPNAFEGASHIQELQLGENKIKEI	D-Slit
554	PQLRKINFSNNK ITDIEEGAFEGASGVNEILLT SNRLENV	H-Slit1
1	EGAFNGAASVQELMLTG MQL ETV	H-Slit2
611	SNKMF - - - - - LGLHQ LKTLN	D-Slit
594	QHKMFKG - LESL KTLMLRSNRITCVGNDSF IGLSSVRLLS	H-Slit1
24	HGRGFRRGGLSG LKTLMLRSNLIGCVSNDTFA GLSSVRLLS	H-Slit2
626	LYDNQI SCVM PGSEH LNSLTS LNLASNPFCNCNCHLAW - F	D-Slit
633	LYDNQITTVAPGAFDTLHSLSTLNL L ANPFCNCNCHLAW - L	H-Slit1
64	LYDNRI TTTITPGAF T TLVSLSTI NLLSNPFCNCNCHL GAGL	H-Slit2
665	AECVRKKS LNGGAARCGAPSKVRDVQIKDLPHSEFKCSSE	D-Slit
672	GEWLRKKRIVTGNPRCQKPYFLKEIPIQDVAIQDFTCD DG	H-Slit1
104	GKWLRRKRIVS GNPRCQKPF FLKEIPIQGVGHPGI	H-Slit2
1		
705	NSE - GCLGDGYCPPSCTCTGT VVA CSRNQLKEIPRGIPAE	CE-Slit
712	NDDNSCSPLSRCPTECTCLDTVVRCSNKG LKVL PKGIPRD	D-Slit
		H-Slit1
16	TELYLDANYINEIPA HDLNRLYSLTKLDLSHNRLISLEN	CE-Slit
744	TSELYLESNEIEQIHYERIRHLRSLTRLDLSNNQITILSN	D-Slit
752	VTELYLDGMQFTLV PKE - LS NYKHLTLIDL SNNRISTLSN	H-Slit1
56	NTFSNLTR LSTLIISYNKLRCLQPLAFNG LNALRI LSLHG	CE-Slit
784	YTFANLTK LSTLIISYNKLRCLQORHALSGLNNLRV VSLHG	D-Slit
791	QSFSNM MTQLTLILSYNRLRCIPPRTFDGLKSLRL LSLHG	H-Slit1
96	NDISF L PQSAF SNLTSITHIAVGSNSLYCDCNMAWFSKWI	CE-Slit
824	NRISM LPEGSFEDLKSLTHIALGSNPLYCDCGLKWFSDWT	D-Slit
831	NDISVVPEGA FN DL SALSHLAIGANPLYCDCNMQWLSDWV	H-Slit1
136	KSKFIEAGIARCEYPNTVSNQLLLTAQPYQFTCD SKVP TK	CE-Slit
864	KLDYVEPGIARCAEP EQMKDKLILSTPSSSFVCRGRVRND	D-Slit
871	KSEYKEPGIARCA GPGEMA DKL L L TTPSKKFTCQGPVDVN	H-Slit1
176	LATKCDLCLNSPCKNNAICETTS SRKYTCNCTPGFYGVHC	CE-Slit
904	ILAKCNACFEQPCQNQAQCVALPQREYQCLCQPGYHGKH C	D-Slit
911	ILAKCNPCCLSNPCKNDGT C NSDPVDFYRC TC PYGFKGQDC	H-Slit1
216	ENQIDACYGSPCLNNATCKV - - AQAGR FN CYCNKGFEGDY	CE-Slit
944	EFMIDACYGNPCRN NATCTVLE - - EGRFS CQCAPGYTGAR	D-Slit
951	DVP I HACISNPCKHGGTCHLKEGEEDGFWCI CADGFEGEN	H-Slit1
254	CEKNIDDCV - NSKCENGGKCVDLVRFCSEELKNFQS FQIN	CE-Slit
982	CETNIDDC LGEIKCQNNATCID - - - - - GVE	D-Slit
991	CEVNVDDC - EDND CENNSTCVD - - - - - GIN	H-Slit1

293	S Y R C D C P M E Y E G K H C E D K L E Y C T K K L N P C E N N G K C I P I N G	CE-Slit
1007	S Y K C E C Q P G F S G E F C D T K I Q F C S P E F N P C A N G A K C M D H F T	D-Slit
1015	N Y T C L C P P E Y T G E L C E E K L D F C A Q D L N P C Q H D S K C I L T P K	H-Slit1
1		M-Slit2
333	S Y S C M C S P G F T G N N C E T N I D D C K N V E C Q N G G S C V D G I L S Y	CE-Slit
1047	H Y S C D C Q A G F H G T N C T D N I D D C Q N H M C Q N G G T C V D G I N D Y	D-Slit
1055	G F K C D C T P G Y V G E H C D I D F D D C Q D N K C K N G A H C T D A V N G Y	H-Slit1
1		M-Slit1
1	W P R C E C M P G Y A G D N C S E N Q D D C R D H R C Q N G A Q C M D E V N S Y	H-Slit2
6	H H R C E C M L G Y T G D N C S E N Q D D C K D H K C Q N G A Q C V D E V N S Y	M-Slit2
373	D C L C R P G Y A G Q Y C E I P P M M D M E Y Q K T D A C Q Q S A C G Q G - E C	CE-Slit
1087	Q C R C P D D Y T G K Y C E G H N M I S M M Y P Q T S P C Q N H E C K H G V - C	D-Slit
1095	T C I C P E G Y S G L F C E F S P - - P M V L P R T S P C D N F D C Q N G A Q C	H-Slit1
24	T C I C P Q G F S G L F C E H P P - - P M V L L Q T S P C D Q Y E C Q N G A Q C	M-Slit1
41	S C L C A E G Y S G Q L C E I P P - - H L P A P K - S P C E G T E C Q N G A N C	H-Slit2
46	A C L C V E G Y S G Q L C E I P P - - - - A P R - S S C E G T E C Q N G A N C	M-Slit2
412	V A S Q N - S S D F T C K C H E G F S G P S C D R Q M S V G F K N P G A Y L A L	CE-Slit
1126	F Q P N A Q G S D Y L C R C H P G Y T G K W C E Y L T S I S F V H N N S F V E L	D-Slit
1133	I V R I N E P - - - I C Q C L P G Y Q G E K C E K L V S V N F I N K E S Y L Q I	H-Slit1
62	I V V Q Q E P - - - T C R C P P G F A G P R C E K L I T V N F V G K D S Y V E L	M-Slit1
78	V D Q G N R P - - - V C Q C L P G F G G P E C E K L L S V N F V D R D T Y L Q F	H-Slit2
80	V D Q G S R P - - - V C Q C L P G F G G P E C E K L L S V N F V D R D T Y L Q F	M-Slit2
451	D P L A S - - D G T I T M T L R T T S K I G I L L Y Y G D D H F V S A E L Y D G	CE-Slit
1166	E P L R T R P E A N V T I V F S S A E Q N G I L M Y D G Q D A H L A V E L F N G	D-Slit
1170	P S A K V R P Q T N I T L Q I A T D E D S G I L L Y K G D K D H I A V E L Y R G	H-Slit1
99	A S A K V R	M-Slit1
115	T D L Q N W X R X N I T L Q V F T A E D N G I L L Y N G G N D H I A V X L Y X G	H-Slit2
117	T D L Q N W P R A N I T L Q V S T A E D N G I L L Y N G D N D H I A V E L Y	M-Slit2
489	R V K L V Y Y I G N F P A S H M Y S S V K V N D G L P H R I S I R T S E R K C F	CE-Slit
1206	R I R V S Y D V G N H P V S T M Y S F E M V A D G K Y H A V E L L A I K K N F T	D-Slit
1210	R V R A S Y D T G S H P A S A I Y S V E T I N D G N F H I V E L L A L D Q S L S	H-Slit1
155	H V R F S Y	H-Slit2
529	L Q I D K N P V Q I V E N S G K S D Q L I T K G K E M L Y I G G L P I E K S Q D	CE-Slit
1246	L R V D R G L A R S I I N E G S N D Y L - - K L T T P M F L G G L P V D P A Q Q	D-Slit
1250	L S V D G G N P K I I T N L S K Q S T L - - N F D S P L Y V G G M P G K S N V A	H-Slit1
1		M-Slit1
569	A K R R F H V K N S E S L K G C I S S I T I N E V P I N L Q Q A L E N V N T E Q	CE-Slit
1284	A Y K N W Q I R N L T S F K G C M K E V W I N H K L V D F G N A Q R Q Q K I T P	D-Slit
1288	S L R Q A P G Q N G T S F H G C I R N L Y I N S E L Q D F Q K V P M Q T G I L P	H-Slit1
6	S L R Q A P G E N G T S F H G C I R N L Y I N S E L Q D F R K M P M Q T G I L P	M-Slit1
609	S C - - - - - S A T V N F - - - - -	CE-Slit
1324	G C A L - - - - L E G E Q Q E E E D D E Q D F M D E - - - - - T P H I K E E P	D-Slit
1328	G C E P C H K K V C A H G T C Q P S S Q A G F T C E C Q E G W M G P L C D Q R T	H-Slit1
46	G C E P C H K K V C A H G C C Q P S S Q S G F T C E C E E G W M G P L C D O R T	M-Slit1

TABLE 4

Alignment of *Drosophila* Slit and Human Slit-1

1	M A A P S R T T L M P P P F R L Q L R L - L I L P I L L L L R H D A V H A E P Y	D-Slit
1	M R G V G W Q - - - - - M L S L S L G L V L A I L - - - - -	H-Slit1
40	S G G F G S S A V S S G G L G S V G I H I P G G G V G V I T E A R C P R V C S C	D-Slit
21	- - - - - - - - - - - - - - - - - - - - - N K V A P Q A C P A Q C S C	H-Slit1
80	T G L N V D C S H R G L T S V P R K I S A D V E R L E L Q G N N L T V I Y E T D	D-Slit
35	S G S T V D C H G L A L R S V P R N I P R N T E R L D L N G N N I T R I T K T D	H-Slit1
120	F Q R L T K L R M L Q L T D N Q I H T I E R N S F Q D L V S L E R L - - - - -	D-Slit
75	F A G L R H L R V L Q L M E N K I S T I E R G A F O D L K E L E R L R L N R N H	H-Slit1
154	- - - - - - - - - - - - - - - D I S N N V I T T V G R R V F K G A Q S L R	D-Slit
115	L Q L F P E L L F L G T A K L Y R L D L S E N Q I Q A I P R K A F R G A V D I K	H-Slit1
176	S L Q L D N N Q I T C L D E H A F K G L V E L E I L T L N N N N L T S L P H N I	D-Slit
155	N L Q L D Y N Q I S C I E D G A F R A L R D L E V L T L N N N N I T R L S V A S	H-Slit1
216	F G G L G R L R A L R L S D N P F A C D C H L S W L S R F L R S A T R L A P Y T	D-Slit
195	F N H M P K L R T F R L H S N N L Y C D C H L A W L S D W L R K R P R V G L Y T	H-Slit1
256	R C Q S P S Q L K G Q N V A D L H D Q E F K C S G L T E - H A P M - - - E C G A	D-Slit
235	Q C M G P S H L R G H N V A E V Q K R E F V C S D E E E G H Q S F M A P S C S V	H-Slit1
292	E N S C P H P C R C A D G I V D C R E K S L T S V P V T L P D D T T D V R L E Q	D-Slit
275	L H - C P A A C T C S N N I V D C R G K G L T E I P T N L P E T I T E I R L E Q	H-Slit1
332	N F I T E L P P K S F S S F R R L R R I D L S N N N I S R I A H D A L S G L K Q	D-Slit
314	N T I K V I P P G A F S P Y K K L R R I D L S N N Q I S E L A P D A F Q G L R S	H-Slit1
372	L T T L V L Y G N K I K D L P S G V F K G L G S L R L L L L N A N E I S C I R K	D-Slit
354	L N S L V L Y G N K I T E L P K S L F E G L F S L Q L L L L N A N K I N C L R V	H-Slit1
412	D A F R D L H S L S L L S L Y D N N I Q S L A N G T F D A M K S M K T V H L A K	D-Slit
394	D A F Q D L H N L N L L S L Y D N K L Q T I A K G T F S P L R A I Q T M H L A Q	H-Slit1
452	N P F I C D C N L R W L A D Y L H K N P I E T S G A R C E S P K R M H R R R I E	D-Slit
434	N P F I C D C H L K W L A D Y L H T N P I E T S G A R C T S P R R L A N K R I G	H-Slit1
492	S L R E E K F K C S - W G E L R M K L S G E C R M D S D C P A M C H C E G T T V	D-Slit
474	Q I K S K K F R C S G T E D Y R S K L S G D C F A D L A C P E K C R C E G T T V	H-Slit1
531	D C T G R R L K E I P R D I P L H T T E L L L N D N E L G R I S S D G L F G R L	D-Slit
514	D C S N Q K L N K I P E H I P Q Y T A E L R L N N N E F T V L E A T G I F K K L	H-Slit1
571	P H L V K L E L K R N Q L T G I E P N A F E G A S H I Q E L Q L G E N K I K E I	D-Slit
554	P Q L R K I N F S N N K I T D I E E G A F E G A S G V N E I L L T S N R L E N V	H-Slit1
611	S N K M F L G L H Q L K T L - - - - - - - - - - - - - - - N L	D-Slit
594	Q H K M F K G L E S L K T L M L R S N R I T C V G N D S F I G L S S V R L L S L	H-Slit1
627	Y D N Q I S C V M P G S F E H L N S L T S L N L A S N P F N C N C H L A W F A E	D-Slit
634	Y D N Q I T T V A P G A F D T L H S L S T L N L L A N P F N C N C Y L A W L G E	H-Slit1

667	C V R K K S L N G G A A R C G A P S K V R D V Q I K D L P H S E F K C S S E N S	D-Slit
674	W L R K K R I V T G N P R C Q K P Y F L K E I P I Q D V A I Q D F T C D D G N D	H-Slit1
707	E - G C L G D G Y C P P S C T C T G T V V A C S R N Q L K E I P R G I P A E T S	D-Slit
714	D N S C S P L S R C P T E C T C L D T V V R C S N K G L K V L P K G I P R D V T	H-Slit1
746	E L Y L E S N E I E Q I H Y E R I R H L R S L T R L D L S N N Q I T I L S N Y T	D-Slit
754	E L Y L D G N Q F T L V P K E - L S N Y K H L T L I D L S N N R I S T L S N Q S	H-Slit1
786	F A N L T K L S T L I I S Y N K L Q C L Q R H A L S G L N N L R V V S L H G N R	D-Slit
793	F S N M T Q L L T L I L S Y N R L R C I P P R T F D G L K S L R L L S L H G N D	H-Slit1
826	I S M L P E G S F E D L K S L T H I A L G S N P L Y C D C G L K W F S D W I K L	D-Slit
833	I S V V P E G A F N D L S A I S H L A I G A N P L Y C D C N M Q W L S D W V K S	H-Slit1
866	D Y V E P G I A R C A E P E Q H K D K L I L S T P S S S F V C R G R V R N D I L	D-Slit
873	E Y K E P G I A R C A G P G E M A D K L L L T T P S K K F T C Q G P V D V N I L	H-Slit1
906	A K C N A C F E Q P C Q N Q A Q C V A L P Q R E Y Q C L C Q P G Y H G K H C E F	D-Slit
913	A K C M P C L S N P C K H D G T C N S D P V D F Y R C T C P Y G F K G Q D C D V	H-Slit1
946	M I D A C Y G N P C R N N A T C T V L E - - E G R F S C Q C A P G Y T G A R C E	D-Slit
953	P T H A C I S N P C K H G G T C H L K E G E E D G F W C I C A D G F E G E N C E	H-Slit1
984	T N I D D C L G E I K C Q N N A T C I D G V E S Y K C E C Q P G F S G E F C D T	D-Slit
993	V N V D D C - E D N D C E H H S T C V D G I N N Y T C L C P P E Y T G E L C E E	H-Slit1
1024	K I Q F C S P E F N P C A N G A K C M D H F T H Y S C D C Q A G F H G T N C T D	D-Slit
1032	K L D F C A Q D L N P C Q H D S K C I L T P K G F K C D C T P G Y V G E H C D I	H-Slit1
1064	N I D D C Q N H M C Q N G G T C V D G I N D Y Q C R C P D D Y T G K Y C E G H N	D-Slit
1072	D F D D C Q D N K C K N G A H C T D A V N G Y T C I C P E G Y S G L F C E F S P	H-Slit1
1104	M I S M M Y P Q T S P C Q N H E C K H G V - C F Q P N A Q G S D Y L C R C H P G	D-Slit
1112	- - P M V L P R T S P C D H F D C Q N G A Q C I - - - V R I N E P I C Q C L P G	H-Slit1
1143	Y T G K W C E Y L T S I S F V H N N S F V E L E P L R T R P E A N V T I V F S S	D-Slit
1147	Y Q G E K C E K L V S V N F I N K E S Y L Q I P S A K V R P Q T N I T L Q I A T	H-Slit1
1183	A E Q N G I L M Y D G Q D A H L A V E L F N G R I R V S Y D V G N H P V S T M Y	D-Slit
1187	D E D S G I L L Y K G D K D H I A V E L Y R G R V R A S Y D T G S H P A S A I Y	H-Slit1
1223	S F E M V A D G K Y H A V E L L A I K K N F T L R V D R G L A R S I I N E G S N	D-Slit
1227	S V E T I N D G N F H I V E L L A L D Q S L S L S V D G G N P K I I T N L S K Q	H-Slit1
1263	D Y L K L T T P M F L G G L P V D P A Q Q A Y K N W Q I R N L T S F K G C M K E	D-Slit
1267	S T L N F D S P L Y V G G M P G K S N V A S L R Q A P G Q N G T S F H G C I R N	H-Slit1
1303	V W I N H K L V D F G N A Q R Q Q K I T P G C A L - - - L E G E Q Q E E E D D	D-Slit
1307	L Y I N S E L Q D F Q K V P M O T G I L P G C E P C H K K V C A H G T C Q P S S	H-Slit1
1339	E Q D F M D E - - - - - T P H I K E E P V D P C L E N K C R R G S R C V P N S	D-Slit
1347	Q A G F T C E C Q E G W M G P L C D Q R T N D P C L G N K C V H G T - C L P I N	H-Slit1

1373	N A R D G	Y Q C K C K H G Q R G R Y C D Q G E G S T E P	- - - - -	D-Slit
1386	A F - - S	Y S C K C L E G H G G V L C D E E E D L F N P C Q A I K C K H G K C R		H-Slit1
1401	- - - - -	- - - - - P T V T A A S - - - - - T C R K E Q V R E Y Y T E N D -		D-Slit
1424	L S G L G Q P Y C E C S S G Y T G D S C D R E I S C R G E R I R D Y Y Q K Q Q G			H-Slit1
1423	- - -	C R S R Q P L K Y A K C V G G C - G N Q C C A A K I V R R R K V R M V C S		D-Slit
1464	Y A A	C Q T T K K V S R L E C R G G C A G G Q C C G P L R S K R R K Y S F E C T		H-Slit1
1459	N N R K Y I K N L D I V R K C G C T K K C Y			D-Slit
1504	D G S S F V D E V E K V V K C G C T R - C V S			H-Slit1

007660" 54204550

TABLE 5(A)

Hybridisation Probes for regions of Human Slit-1

Hybridisation Probe for the first Leucine rich repeat region

TGCCCGGCGCAGTCTCTTGCTCGGGCAGCACAGTGGACTGTCACGGGCTGGCGCTGCGCAGCGTGCCAGGAAT	75
ATCCCCCGCAACACCGAGAGACTGGATTAAATGGAATAACATCACAAGAATTACGAAGACAGATTTTGCTGGT	150
CTTAGACATCTAAGAGTTCTTCAGCTTATGGAGAATAAGATTAGCACCATTGAAAGAGGAGCATTCCAGGATCTT	225
AAAGAACTAGAGAGACTGCGTTTAAACAGAAATCACCTTCAGCTGTTTCTGAGTTGCTGTTTCTTGGGACTGCG	300
AAGCTATACAGGCTTGATCTCAGTGAAAACCAAAATTCAGGCAATCCCAAGGAAAGCTTCCGTGGGGCAGTTGAC	375
ATAAAAAATTTGCAACTGGATTACAACCAGATCAGCTGTATTGAAGATGGGGCATTGAGGCTCTCCGGGACCTG	450
GAAAGTGCTCACTCTCAACAATAACAACATTACTAGACTTTCTGTGGCAAGTTTCAACCATATGCCTAAACTTAGG	525
ACTTTTCGACTGCATTCAAACAACCTGTATTGTGACTGCCACCTGGCTGCTCCGACTGGCTTCGCAAAAGG	600
CCTCGGGTTGGTCTGTACACTCAGTGTATGGGCCCTCCACCTGAGAGGCCATAATGTAGCCGAGGTTCAAAAA	675
CGAGAATTTGTCTGCAGTGATGAGGAAGAAGGTCACCAGTCATTTATGGCTCCTTCTGTAGTGTGTTTGCAC	747

82-828

Hybridisation Probe for the second Leucine rich repeat region

TGCCCTGCCGCTGTACCTGTAGCAACAATATCGTAGACTGTCGTGGGAAAGGCTCTACTGAGATCCCCACAAAT	75
CTTCCAGAGACCATCACAGAAATACGTTTGGAAACAGAACCAATCAAAAGTCATCCCTCCTGGAGCTTTCTCACCA	150
TATAAAAGCTTAGACGAATTGACCTGAGCAATAATCAGATCTCTGAACCTGCACCAGATGCTTTCCAAGGACTA	225
CGCTCTCTGAATTCAGTTGCTCTCTATGGAAATAAAATCACAGAACTCCCCAAAAGTTTATTTGAAGGACTGTTT	300
TCCTTACAGCTCCTATTATTGAATGCCAACAAGATAAACTGCCTTCGGGTAGATGCTTTTTCAGGATCTCCACAAC	375
TTGAACCTTCTCTCCTATATGACAACAGCTTCAGACCATCGCCAAAGGGGACCTTTTCACCTCTTCGGGGCATT	450
CAAACATGCAATTTGGCCAGAACCCCTTTATTGTGACTGCCATCTCAAGTGGCTAGCGGATTATCTCCATACC	525
AACCCGATTGAGACCAGTGGTGGCCGTTGCACCAGCCCCCGCCGCTGGCAAACAAAAGAAATTGGACAGATCAA	600
AGCAAGAAATTCGGTTGTTTACAGGTACAGAAGATTATCGATCAAAATTAAGTGGAGACTGCTTTGCGGATCTGGCT	675

829-1503

Hybridisation Probe for the third Leucine rich repeat region

TGCCCTGAAAAGTGTGCTGTGAAGGAACACAGTAGATTGCTCTAATCAAAAGCTCAACAAAATCCCGGAGCAC	75
ATTCCCCAGTACACTGCAGAGTTGCGTCTCAATAATAATGAATTTACCGTGTTGGAAGCCACAGGAATCTTTAAG	150
AAACTTCCTCAATTACGTAATAAATAAATTTAGCAACAATAAGATCACAGATATTGAGGAGGGAGCATTGAAGGA	225
GCATCTGGTGTAATGAAATACTTCTTACGAGTAATCGTTTGGAAATGTGCAGCATAAGATGTTCAAGGGATTG	300
GAAAGCCTCAAAACTTTGATGTTGAGAAGCAATCGAATAACCTGTGTGGGGAATGACAGTTTCATAGGACTCAGT	375
TCTGTGCGTTTGCTTTCTTTGTATGATAATCAAATTAACAGTTGCACCAGGGGCATTGATACTCTCCATTCT	450
TTATCTACTCTAAACCTCTTGCCCAATCCTTTTAACTGTAAGTGTACCTGGCTTGGTTGGGAGAGTGGCTGAGA	525
AAGAAGAGAATTGTACGGGAAATCCTAGATGTCAAAACCATACTTCTGAAAGAAATACCCATCCAGGATGTG	600
GCCATTACAGGACTTCACTTGTGATGACGGAATGATGACAATAGTTGCTCCCACTTTCTCGC	663

1504-2166

Hybridisation Probe for the fourth Leucine rich repeat region

TGTCCTACTGAATGTACTTGGCTTGGATACAGTCGTCGATGTAGCAACAAGGGTTTGAAGGTCTTGCCGAAAGGT	75
ATTCCAAGAGATGTCACAGAGTTGTATCTGGATGGAAACCAATTTACACTGGTTCCCAAGGAACCTCCAACATAC	150
AAACATTTAACACTTATAGACTTAAGTAACAACAGAATAAGCAGCGTTTCTAATCAGAGCTTCAGCAACATGACC	225
CAGCTCCTCACCTTAATTTCTAGTTACAACCGTCTGAGATGTATTCCTCCTCGCACCTTTGATGGATTAAAGTCT	300
CTTCGATTACTTTCTCTACATGGAAATGACATTTCTGTTGTGCTGAAGGTGCTTTCAATGATCTTTCTGCATTA	375
TCACATCTAGCAATTTGGAGCCAACCTCTTTACTGTGATTGTAACATGCAGTGGTTATCCGACTGGGTGAAGTCG	450
GAATATAAGGAGCCTGGAATTTGCTCGTTGTGCTGGTCTGGAGAAATGGCAGATAAACTTTTACTCACAACCTCC	525
TCCAAAAAATTTACCTGTCAAGGTCTGTGGATGTCAATATTCTAGCTAAGTGTAAACCC	585

2167-2751

Hybridisation Probe for EGF repeats one to five

TGCTATCAAAATCCGTGTAATAATGATGGCACATGTAATAGTGATCCAGTTGACTTTTACCGATGCACCTGTCCA	75
TATGGTTTCAAGGGGACAGGACTGTGATGTCCCAATTCATGCCTGCATCAGTAACCCATGTAAACATGGAGGAACT	150
TGCCACTTAAAGGAGGAGAGAAGATGGATTCTGGTGTATTTGTGCTGATGGATTTGAAGGAGAAAAATTGTGAA	225
GTCAACGTTGATGATTGTGAAGATAATGACTGTGAAAATTAATCTACATGTGTGATGGCATTAAATACTACACA	300
TGCCTTTGCCCACCTGAGTATACAGGTGAGTTGTGTGAGGAGAAGCTGGACTTCTGTGCCAGGACCTGAACCCC	375
TGCCAGACGATTCAAAGTGATCCTAATCCTCAAGGGATTCAAATGTGACTGCACACAGGGTACGTAGGTGAA	450
CAGTGGACATCGATTTTGAACGACTGCCAAGACAACAGTGTAAAAACGGAGCCACTGCACAGATGCAGTGAAC	525
GGCTATACGTGCATATGCCCCGAAGGTTACAGTGGCTTGTCTGTGAGTTT	576

2752-3324

TABLE 5(B)

Hybridisation Probe for the sixth EGF repeat and preceding spacer region

TCTCCACCCATGGTCCTCCCTCGTACCAGCCCCTGTGATAATTTTGATTGTGAGAATGGAGCTCAGTGTATCGTC 75
AGAATAAATGAGCCCAATATGTCAGTGTTCCTGGCTATCAGGGAGAAAAGTGTGAAAA 134

3125 - 3141

Hybridisation Probe for the 99aa spacer/G-loop region

ATTGGTTAGTGTGAATTTTATAAACAAAGAGTCTTATCTTCAGATTCCCTTCAGCCAAGGTTCCGGCCTCAGACGAA 75
CATAACACTTCAGATTGCCACAGATGAAGACAGCGGAATCCTCCTGTATAAGGGTGACAAAGACCATATCGCGGT 150
AGAACTCTATCGGGGGCGTGTTCGTGCCAGCTATGACACCGGCTCTCATCCAGCTTCTGCCATTTACAGTGTGGA 225
GACAATCAATGATGGAACCTCCACATTGTGGAACACTTGCCTTGGATCAGAGTCTCTCTTTGTCCGTGGATGG 300
TGGGAACCCCAAAATCATCACTAACTTGTCAAAGCAGTCCACTCTGAATTTTGACTCTCCACTCTATGTAGGAGG 375
CATGCCAGGGAAGAGTAACGTGGCATCTCTGCCAGGCCCCCTGGGCAGAACGGAACAGCTTCCACGGCTGCAT 450
CCGGAACCTTTACATCAACAGTGAGCTGCAGGACTTCCAGAAGGTGCCGATGCAAACAGGCATTTTGCCTGGCTGT 526

3162 - 3187

Hybridisation Probe for EGF repeats seven to nine

GAGCCATGCCACAAGAAGGTGTGTGCCCATGGCACATGCCAGCCCAGCAGCCAGGCAGGCTTCACCTGCGAGTGC 75
CAGGAAGGATGGATGGGGCCCCCTCTGTGACCAACGGACCAATGACCCTTGCCCTGGAAATAAATGCGTACATGGC 150
ACCTGCTTGCCCATCAATGCGTTCTCCTACAGCTGTAAGTGCTTGGAGGGCCATGGAGGTGTCTCTGTGATGAA 225
GAGGAGGATCTGTTTAACCCATGCCAGGCGATCAAGTGCAAGCATGGGAAGTGAGGCTTTCAGGTCTGGGGCAG 300
CCCTACTGTGAATGCAGCAGTGGATACACGGGGACAGCTGTGATCGAGAAATC 353

3988 - 4241

Hybridisation Probe for the cysteine knot region

TCTTGTGAGGGGAAAGGATAAGAGATTATTACCAAAAAGCAGCAGGGCTATGCTGCTTGCCAAACAACCAAGAAG 75
GTGTCCCGATTAGAGTGCAGAGGTGGGTGTGCAGGAGGGCAGTGCTGTGGACCGCTGAGGAGCAAGCGGCGGAAA 150
TACTCTTTCGAATGCACTGACGGCTCCTCCTTTGTGGACGAGGTTGAGAAAGTGGTGAAGTGGGCTGTACGAGG 225
TGTGTGTCC 234

4342 - 4575

007660 54304560

PCR Primers for regions of Human Slit-1**PCR Primers for the first Leucine rich repeat region**

Forward: 5' TGCCCGGCGCAGTGCCTCTTGCTCGGGCAGC 3' 82-111
 Reverse: 5' GTGCAAAACACTACAAGAAGGAGCCATAAA 3' 799-828 (62)

PCR Primers for the second Leucine rich repeat region

Forward: 5' TGCCCTGCCGCCTGTACCTGTAGCAACAAT 3' 829-855
 Reverse: 5' AGCCAGATCCGCAAAGCAGTCTCCACTTAA 3' 1474-1543 (12)

PCR Primers for the third Leucine rich repeat region

Forward: 5' TGCCCTGAAAAGTGTGCTGTGAAGGAACC 3' 1504-1533
 Reverse: 5' GCGAGAAAGTGGGGAGCAACTATTGTCATC 3' 2137-2166

PCR Primers for the fourth Leucine rich repeat region

Forward: 5' TGTCTACTGAATGTACTTGCTTGGATACA 3' 2167-2196
 Reverse: 5' GGGGTACACTTAGCTAGAATATTGACATC 3' 2722-2751

PCR Primers for EGF repeats one to five

Forward: 5' TGCCTATCAAATCCGTGTAAAAATGATGGC 3' 2752-2781
 Reverse: 5' AAATCACAGAACCAAGCCACTGTAACTTC 3' 3248-3327

PCR Primers for the sixth EGF repeat and preceding spacer region

Forward: 5' TCTCCACCCATGGTCTCCCTCGTACCAGC 3' 3329-3357
 Reverse: 5' TTTTCACACTTTTCTCCCTGATAGCCAGGC 3' 3432-3461

PCR Primers for the 99aa spacer/G-loop region

Forward: 5' ATTGGTTAGTGTGAATTTTATAAACAAGA 3' 3462-3491
 Reverse: 5' ACAGCCAGGCAAAATGCCTGTTTGCATCGG 3' 3958-3987

PCR Primers for EGF repeats seven to nine

Forward: 5' GAGCCATGCCACAAGAAGGTGTGTGCCCAT 3' 3988-4017
 Reverse: 5' GATTCTCGATCACAGCTGTCCCGTGTAT 3' 4132-4161

PCR Primers for the cysteine knot region

Forward: 5' TCTTGTCGAGGGGAAAGGATAAGAGATTAT 3' 4212-4271
 Reverse: 5' GGACACACACCTCGTACAGCCGCACTTCAC 3' 4546-4575

DECLARATION FOR PATENT APPLICATION

As a below-named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name,

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled *Modulating Robo: Ligand Interactions*, described in the specification filed on November 13, 1998, and having U.S. Serial No. 09/191,647.

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose to the Patent Office all information known to me to be material to patentability as defined in 37 C.F.R. 1.56.

I hereby claim the benefit under Title 35, United States Code, §119(e) of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code, §112, I acknowledge the duty to disclose to the Patent Office all information known to me to be material to patentability as defined in 37 C.F.R. 1.56 which occurred between the filing date of the prior application and the national or PCT international filing date of this application:

USSN 60/065,544 filed on November 14, 1997, abandoned, and 60/081,057 filed on April 7, 1998, pending.

Direct all telephone calls to Richard Osman (650) 343-4341 and address all correspondence to: Science & Technology Law Group, 75 Denise Drive, Hillsborough, CA 94010

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Title 18, United States Code, §1001 and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Full name of first inventor:

Corey S. Goodman

Inventor's signature:

Date:

Residence:

Citizenship:

Post Office Address:

Berkeley, CA

U.S.A.

Life Sciences Addition #519, UC Berkeley, Berkeley, CA, 94720

Full name of second inventor: Thomas Kidd
Inventor's signature: Tom Kidd
Date: 9/17/99
Residence: Berkeley, CA
Citizenship: U.S.A.
Post Office Address: Life Sciences Addition #519, UC Berkeley, Berkeley, CA, 94720

Full name of third inventor: Katja Brose
Inventor's signature: Katja Brose
Date: 9/17/99
Residence: San Francisco, CA
Citizenship: Germany
Post Office Address: Department of Anatomy, UCSF, 513 Parnassus Ave. Rm. S-1479, San Francisco, CA 94143-0452

Full name of fourth inventor: Marc Tessier-Lavigne
Inventor's signature: Marc Tessier-Lavigne
Date: 9/17/99
Residence: San Francisco, CA
Citizenship: Canada
Post Office Address: Department of Anatomy, UCSF, 513 Parnassus Ave. Rm. S-1479, San Francisco, CA 94143-0452

Applicant: Goodman et al.
Serial No.: 09/191,647
Filed: November 13, 1998
Group: 1636

UCB98-031-3

POWER OF ATTORNEY BY ASSIGNEE

To the Assistant Commissioner for Patents:

The undersigned assignee of the entire interest in application for letters patent entitled: *Modulating Robo: Ligand Interactions* and having the named inventor(s): Corey S. Goodman, Thomas Kidd, Katja Brose and Marc Tessier-Lavigne, described in the application filed on November 13, 1998 having US Serial No.: 09/191,647, hereby appoints Richard Aron Osman, Ph.D. (Reg No 36,627) to prosecute this application and to transact all business in the United States Patent and Trademark Office in connection therewith.

Please direct all correspondence and telephone calls to: Richard Aron Osman, Ph.D. at 75 Denise Drive, Hillsborough, CA 94010; tel. (650) 343-4341.

In accordance with 37 CFR §3.73 the assignee submits herewith for recordation an assignment from the inventors to the undersigned assignee and hereby certifies that the evidentiary documents with respect to their ownership have been reviewed and that, to the best of assignee's knowledge and belief, title is in the assignee seeking to take this action.

I hereby declare that all statements made herein of my own knowledge are true, and that all statements made on information and belief are believed to be true; and further, that these statements are made with the knowledge that willful false statements, and the like so made, are punishable by fine or imprisonment, or both, under Section 1001, Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application nor any patent issuing thereon.

By: The Regents of the University of California
1111 Franklin Street, 5th Floor, Oakland, CA 94607-5200

Name: William A. Hoskins

Title: Director, Office of Technology Licensing
2150 Shattuck Avenue, Suite 510, Berkeley, CA 94704

Signature: W. Hoskins

Date: Feb 19 1999

007660 " 54204560

SEQUENCE LISTING

```
<110> Goodman, Corey  
Kid, Thomas  
Brose, Katja  
Tessier-Lavigne, Marc
```

<120> Modulating Robo: Ligand Interactions

<130> B98-031-3

<140>

<141>

<150> 60/065,544

<151> 1997-11-14

<150> 60/081,057

<151> 1998-04-07

<160> 14

<170> PatentIn Ver. 2.0

<210> 1

<211> 4758

<212> DNA

<213> human

<220>

<221> CDS

<222> (1) . . (4575)

<400>	1																
atg	cgc	ggc	gtt	ggc	tgg	cag	atg	ctg	tcc	ctg	tcg	ctg	ggg	tta	gtg	48	
Met	Arg	Gly	Val	Gly	Trp	Gln	Met	Leu	Ser	Leu	Ser	Leu	Gly	Leu	Val		
1				5					10					15			
ctg	gcg	atc	ctg	aac	aag	gtg	gca	ccg	cag	gcg	tgc	ccg	gcg	cag	tgc	96	
Leu	Ala	Ile	Leu	Asn	Lys	Val	Ala	Pro	Gln	Ala	Cys	Pro	Ala	Gln	Cys		
			20					25					30				
tct	tgc	tcg	ggc	agc	aca	gtg	gac	tgt	cac	ggg	ctg	gcg	ctg	cgc	agc	144	
Ser	Cys	Ser	Gly	Ser	Thr	Val	Asp	Cys	His	Gly	Leu	Ala	Leu	Arg	Ser		
		35					40					45					
gtg	ccc	agg	aat	atc	ccc	cgc	aac	acc	gag	aga	ctg	gat	tta	aat	gga	192	
Val	Pro	Arg	Asn	Ile	Pro	Arg	Asn	Thr	Glu	Arg	Leu	Asp	Leu	Asn	Gly		
	50					55					60						
aat	aac	atc	aca	aga	att	acg	aag	aca	gat	ttt	gct	ggc	ctt	aga	cat	240	
Asn	Asn	Ile	Thr	Arg	Ile	Thr	Lys	Thr	Asp	Phe	Ala	Gly	Leu	Arg	His		
65					70					75					80		
cta	aga	gtt	ctt	cag	ctt	atg	gag	aat	aag	att	agc	acc	att	gaa	aga	288	
Leu	Arg	Val	Leu	Gln	Leu	Met	Glu	Asn	Lys	Ile	Ser	Thr	Ile	Glu	Arg		
				85					90					95			
gga	gca	ttc	cag	gat	ctt	aaa	gaa	cta	gag	aga	ctg	cgt	tta	aac	aga	336	
Gly	Ala	Phe	Gln	Asp	Leu	Lys	Glu	Leu	Glu	Arg	Leu	Arg	Leu	Asn	Arg		
			100					105					110				
aat	cac	ctt	cag	ctg	ttt	cct	gag	ttg	ctg	ttt	ctt	ggg	act	gcg	aag	384	
Asn	His	Leu	Gln	Leu	Phe	Pro	Glu	Leu	Leu	Phe	Leu	Gly	Thr	Ala	Lys		
		115					120					125					
cta	tac	agg	ctt	gat	ctc	agt	gaa	aac	caa	att	cag	gca	atc	cca	agg	432	
Leu	Tyr	Arg	Leu	Asp	Leu	Ser	Glu	Asn	Gln	Ile	Gln	Ala	Ile	Pro	Arg		

			405					410					415					
aag Lys	ggg Gly	acc Thr	ttt Phe 420	tca Ser	cct Pro	ctt Leu	cgg Arg	gcc Ala 425	att Ile	caa Gln	act Thr	atg Met	cat His 430	ttg Leu	gcc Ala	1296		
cag Gln	aac Asn	ccc Pro 435	ttt Phe	att Ile	tgt Cys	gac Asp	tgc Cys 440	cat His	ctc Leu	aag Lys	tgg Trp	cta Leu 445	gcg Ala	gat Asp	tat Tyr	1344		
ctc Leu	cat His 450	acc Thr	aac Asn	ccg Pro	att Ile	gag Glu 455	acc Thr	agt Ser	ggt Gly	gcc Ala	cgt Arg 460	tgc Cys	acc Thr	agc Ser	ccc Pro	1392		
cgc Arg 465	cgc Arg	ctg Leu	gca Ala	aac Asn	aaa Lys 470	aga Arg	att Ile	gga Gly	cag Gln	atc Ile 475	aaa Lys	agc Ser	aag Lys	aaa Lys	ttc Phe 480	1440		
cgt Arg	tgt Cys	tca Ser	ggt Gly	aca Thr 485	gaa Glu	gat Asp	tat Tyr	cga Arg	tca Ser 490	aaa Lys	tta Leu	agt Ser	gga Gly	gac Asp 495	tgc Cys	1488		
ttt Phe	gcg Ala	gat Asp	ctg Leu 500	gct Ala	tgc Cys	cct Pro	gaa Glu 505	aag Lys 505	tgt Cys	cgc Arg	tgt Cys	gaa Glu 510	gga Gly 510	acc Thr	aca Thr	1536		
gta Val	gat Asp	tgc Cys 515	tct Ser	aat Asn	caa Gln	aag Lys	ctc Leu 520	aac Asn	aaa Lys	atc Ile	ccg Pro	gag Glu 525	cac His	att Ile	ccc Pro	1584		
cag Gln	tac Tyr 530	act Thr	gca Ala	gag Glu	ttg Leu	cgt Arg 535	ctc Leu	aat Asn	aat Asn	aat Asn	gaa Glu 540	ttt Phe	acc Thr	gtg Val	ttg Leu	1632		
gaa Glu 545	gcc Ala	aca Thr	gga Gly	atc Ile	ttt Phe 550	aag Lys	aaa Lys	ctt Leu	cct Pro	caa Gln 555	tta Leu	cgt Arg	aaa Lys	ata Ile	aac Asn 560	1680		
ttt Phe	agc Ser	aac Asn	aat Asn	aag Lys 565	atc Ile	aca Thr	gat Asp	att Ile	gag Glu 570	gag Glu	gga Gly	gca Ala	ttt Phe	gaa Glu 575	gga Gly	1728		
gca Ala	tct Ser	ggt Gly	gta Val	aat Asn	gaa Glu	ata Ile	ctt Leu	ctt Leu	acg Thr	agt Ser	aat Asn	cgt Arg	ttg Leu	gaa Glu	aat Asn	1776		
			580					585					590					
gtg Val	cag Gln	cat His 595	aag Lys	atg Met	ttc Phe	aag Lys	gga Gly 600	ttg Leu	gaa Glu	agc Ser	ctc Leu	aaa Lys 605	act Thr	ttg Leu	atg Met	1824		
ttg Leu	aga Arg 610	agc Ser	aat Asn	cga Arg	ata Ile	acc Thr 615	tgt Cys	gtg Val	ggg Gly	aat Asn	gac Asp 620	agt Ser	ttc Phe	ata Ile	gga Gly	1872		
ctc Leu 625	agt Ser	tct Ser	gtg Val	cgt Arg	ttg Leu 630	ctt Leu	tct Ser	ttg Leu	tat Tyr	gat Asp 635	aat Asn	caa Gln	att Ile	act Thr	aca Thr 640	1920		
gtt Val	gca Ala	cca Pro	ggg Gly	gca Ala 645	ttt Phe	gat Asp	act Thr	ctc Leu	cat His 650	tct Ser	tta Leu	tct Ser	act Thr	cta Leu 655	aac Asn	1968		
ctc Leu	ttg Leu	gcc Ala	aat Asn 660	cct Pro	ttt Phe	aac Asn	tgt Cys	aac Asn 665	tgc Cys	tac Tyr	ctg Leu	gct Ala	tgg Trp 670	ttg Leu	gga Gly	2016		
gag Glu	tgg Trp	ctg Leu	aga Arg	aag Lys	aag Lys	aga Arg	att Ile	gtc Val	acg Thr	gga Gly	aat Asn	cct Pro	aga Arg	tgt Cys	caa Gln	2064		

675					680					685						
aaa	cca	tac	ttc	ctg	aaa	gaa	ata	ccc	atc	cag	gat	gtg	gcc	att	cag	2112
Lys	Pro	Tyr	Phe	Leu	Lys	Glu	Ile	Pro	Ile	Gln	Asp	Val	Ala	Ile	Gln	
	690					695					700					
gac	ttc	act	tgt	gat	gac	gga	aat	gat	gac	aat	agt	tgc	tcc	cca	ctt	2160
Asp	Phe	Thr	Cys	Asp	Asp	Gly	Asn	Asp	Asp	Asn	Ser	Cys	Ser	Pro	Leu	
	705					710					715				720	
tct	cgc	tgt	cct	act	gaa	tgt	act	tgc	ttg	gat	aca	gtc	gtc	cga	tgt	2208
Ser	Arg	Cys	Pro	Thr	Glu	Cys	Thr	Cys	Leu	Asp	Thr	Val	Val	Arg	Cys	
				725					730					735		
agc	aac	aag	ggt	ttg	aag	gtc	ttg	ccg	aaa	ggt	att	cca	aga	gat	gtc	2256
Ser	Asn	Lys	Gly	Leu	Lys	Val	Leu	Pro	Lys	Gly	Ile	Pro	Arg	Asp	Val	
			740					745					750			
aca	gag	ttg	tat	ctg	gat	gga	aac	caa	ttt	aca	ctg	gtt	ccc	aag	gaa	2304
Thr	Glu	Leu	Tyr	Leu	Asp	Gly	Asn	Gln	Phe	Thr	Leu	Val	Pro	Lys	Glu	
			755				760					765				
ctc	tcc	aac	tac	aaa	cat	tta	aca	ctt	ata	gac	tta	agt	aac	aac	aga	2352
Leu	Ser	Asn	Tyr	Lys	His	Leu	Thr	Leu	Ile	Asp	Leu	Ser	Asn	Asn	Arg	
			770				775					780				
ata	agc	acg	ctt	tct	aat	cag	agc	ttc	agc	aac	atg	acc	cag	ctc	ctc	2400
Ile	Ser	Thr	Leu	Ser	Asn	Gln	Ser	Phe	Ser	Asn	Met	Thr	Gln	Leu	Leu	
				790							795				800	
acc	tta	att	ctt	agt	tac	aac	cgt	ctg	aga	tgt	att	cct	cct	cgc	acc	2448
Thr	Leu	Ile	Leu	Ser	Tyr	Asn	Arg	Leu	Arg	Cys	Ile	Pro	Pro	Arg	Thr	
				805					810					815		
ttt	gat	gga	tta	aag	tct	ctt	cga	tta	ctt	tct	cta	cat	gga	aat	gac	2496
Phe	Asp	Gly	Leu	Lys	Ser	Leu	Arg	Leu	Leu	Ser	Leu	His	Gly	Asn	Asp	
				820					825						830	
att	tct	gtt	gtg	cct	gaa	ggt	gct	ttc	aat	gat	ctt	tct	gca	tta	tca	2544
Ile	Ser	Val	Val	Pro	Glu	Gly	Ala	Phe	Asn	Asp	Leu	Ser	Ala	Leu	Ser	
				835			840						845			
cat	cta	gca	att	gga	gcc	aac	cct	ctt	tac	tgt	gat	tgt	aac	atg	cag	2592
His	Leu	Ala	Ile	Gly	Ala	Asn	Pro	Leu	Tyr	Cys	Asp	Cys	Asn	Met	Gln	
				850		855					860					
tgg	tta	tcc	gac	tgg	gtg	aag	tcg	gaa	tat	aag	gag	cct	gga	att	gct	2640
Trp	Leu	Ser	Asp	Trp	Val	Lys	Ser	Glu	Tyr	Lys	Glu	Pro	Gly	Ile	Ala	
				865		870					875				880	
cgt	tgt	gct	ggt	cct	gga	gaa	atg	gca	gat	aaa	ctt	tta	ctc	aca	act	2688
Arg	Cys	Ala	Gly	Pro	Gly	Glu	Met	Ala	Asp	Lys	Leu	Leu	Leu	Thr	Thr	
				885					890					895		
ccc	tcc	aaa	aaa	ttt	acc	tgt	caa	ggt	cct	gtg	gat	gtc	aat	att	cta	2736
Pro	Ser	Lys	Lys	Phe	Thr	Cys	Gln	Gly	Pro	Val	Asp	Val	Asn	Ile	Leu	
				900				905					910			
gct	aag	tgt	aac	ccc	tgc	cta	tca	aat	ccg	tgt	aaa	aat	gat	ggc	aca	2784
Ala	Lys	Cys	Asn	Pro	Cys	Leu	Ser	Asn	Pro	Cys	Lys	Asn	Asp	Gly	Thr	
				915			920					925				
tgt	aat	agt	gat	cca	gtt	gac	ttt	tac	cga	tgc	acc	tgt	cca	tat	ggt	2832
Cys	Asn	Ser	Asp	Pro	Val	Asp	Phe	Tyr	Arg	Cys	Thr	Cys	Pro	Tyr	Gly	
				930		935					940					
ttc	aag	ggg	cag	gac	tgt	gat	gtc	cca	att	cat	gcc	tgc	atc	agt	aac	2880
Phe	Lys	Gly	Gln	Asp	Cys	Asp	Val	Pro	Ile	His	Ala	Cys	Ile	Ser	Asn	

945		950		955		960	
cca tgt aaa cat gga gga act tgc cac tta aag gaa gga gaa gaa gat	2928						
Pro Cys Lys His Gly Gly Thr Cys His Leu Lys Glu Gly Glu Glu Asp							
965		970		975			
gga ttc tgg tgt att tgt gct gat gga ttt gaa gga gaa aat tgt gaa	2976						
Gly Phe Trp Cys Ile Cys Ala Asp Gly Phe Glu Gly Glu Asn Cys Glu							
980		985		990			
gtc aac gtt gat gat tgt gaa gat aat gac tgt gaa aat aat tct aca	3024						
Val Asn Val Asp Asp Cys Glu Asp Asn Asp Cys Glu Asn Asn Ser Thr							
995		1000		1005			
tgt gtc gat ggc att aat aac tac aca tgc ctt tgc cca cct gag tat	3072						
Cys Val Asp Gly Ile Asn Asn Tyr Thr Cys Leu Cys Pro Pro Glu Tyr							
1010		1015		1020			
aca ggt gag ttg tgt gag gag aag ctg gac ttc tgt gcc cag gac ctg	3120						
Thr Gly Glu Leu Cys Glu Glu Lys Leu Asp Phe Cys Ala Gln Asp Leu							
1025		1030		1035		1040	
aac ccc tgc cag cac gat tca aag tgc atc cta act cca aag gga ttc	3168						
Asn Pro Cys Gln His Asp Ser Lys Cys Ile Leu Thr Pro Lys Gly Phe							
1045		1050		1055			
aaa tgt gac tgc aca cca ggg tac gta ggt gaa cac tgc gac atc gat	3216						
Lys Cys Asp Cys Thr Pro Gly Tyr Val Gly Glu His Cys Asp Ile Asp							
1060		1065		1070			
ttt gac gac tgc caa gac aac aag tgt aaa aac gga gcc cac tgc aca	3264						
Phe Asp Asp Cys Gln Asp Asn Lys Cys Lys Asn Gly Ala His Cys Thr							
1075		1080		1085			
gat gca gtg aac ggc tat acg tgc ata tgc ccc gaa ggt tac agt ggc	3312						
Asp Ala Val Asn Gly Tyr Thr Cys Ile Cys Pro Glu Gly Tyr Ser Gly							
1090		1095		1100			
ttg ttc tgt gag ttt tct cca ccc atg gtc ctc cct cgt acc agc ccc	3360						
Leu Phe Cys Glu Phe Pro Pro Met Val Leu Pro Arg Thr Ser Pro							
1105		1110		1115		1120	
tgt gat aat ttt gat tgt cag aat gga gct cag tgt atc gtc aga ata	3408						
Cys Asp Asn Phe Asp Cys Gln Asn Gly Ala Gln Cys Ile Val Arg Ile							
1125		1130		1135			
aat gag cca ata tgt cag tgt ttg cct ggc tat cag gga gaa aag tgt	3456						
Asn Glu Pro Ile Cys Gln Cys Leu Pro Gly Tyr Gln Gly Glu Lys Cys							
1140		1145		1150			
gaa aaa ttg gtt agt gtg aat ttt ata aac aaa gag tct tat ctt cag	3504						
Glu Lys Leu Val Ser Val Asn Phe Ile Asn Lys Glu Ser Tyr Leu Gln							
1155		1160		1165			
att cct tca gcc aag gtt cgg cct cag acg aac ata aca ctt cag att	3552						
Ile Pro Ser Ala Lys Val Arg Pro Gln Thr Asn Ile Thr Leu Gln Ile							
1170		1175		1180			
gcc aca gat gaa gac agc gga atc ctc ctg tat aag ggt gac aaa gac	3600						
Ala Thr Asp Glu Asp Ser Gly Ile Leu Leu Tyr Lys Gly Asp Lys Asp							
1185		1190		1195		1200	
cat atc gcg gta gaa ctc tat cgg ggg cgt gtt cgt gcc agc tat gac	3648						
His Ile Ala Val Glu Leu Tyr Arg Gly Arg Val Arg Ala Ser Tyr Asp							
1205		1210		1215			
acc ggc tct cat cca gct tct gcc att tac agt gtg gag aca atc aat	3696						
Thr Gly Ser His Pro Ala Ser Ala Ile Tyr Ser Val Glu Thr Ile Asn							


```

1490          1495          1500
ggc tcc tcc ttt gtg gac gag gtt gag aaa gtg gtg aag tgc ggc tgt 4560
Gly Ser Ser Phe Val Asp Glu Val Glu Lys Val Val Lys Cys Gly Cys
1505          1510          1515          1520

acg agg tgt gtg tcc taaacacact cccggcagct ctgtcttttg aaaaggttgt 4615
Thr Arg Cys Val Ser
1525

atacttcttg accatgtggg actaatgaat gcttcatagt ggaaatattt gaaatatatt 4675

gtaaaataca gaacagactt attttttatta tgagaataaa gacttttttt ctgcatttgg 4735

aaaaaaaaa aaaaaaaact cga 4758

```

<210> 2
 <211> 1525
 <212> PRT
 <213> human

```

<400> 2
Met Arg Gly Val Gly Trp Gln Met Leu Ser Leu Ser Leu Gly Leu Val
  1          5          10          15

Leu Ala Ile Leu Asn Lys Val Ala Pro Gln Ala Cys Pro Ala Gln Cys
          20          25          30

Ser Cys Ser Gly Ser Thr Val Asp Cys His Gly Leu Ala Leu Arg Ser
          35          40          45

Val Pro Arg Asn Ile Pro Arg Asn Thr Glu Arg Leu Asp Leu Asn Gly
          50          55          60

Asn Asn Ile Thr Arg Ile Thr Lys Thr Asp Phe Ala Gly Leu Arg His
          65          70          75          80

Leu Arg Val Leu Gln Leu Met Glu Asn Lys Ile Ser Thr Ile Glu Arg
          85          90          95

Gly Ala Phe Gln Asp Leu Lys Glu Leu Glu Arg Leu Arg Leu Asn Arg
          100          105          110

Asn His Leu Gln Leu Phe Pro Glu Leu Leu Phe Leu Gly Thr Ala Lys
          115          120          125

Leu Tyr Arg Leu Asp Leu Ser Glu Asn Gln Ile Gln Ala Ile Pro Arg
          130          135          140

Lys Ala Phe Arg Gly Ala Val Asp Ile Lys Asn Leu Gln Leu Asp Tyr
          145          150          155          160

Asn Gln Ile Ser Cys Ile Glu Asp Gly Ala Phe Arg Ala Leu Arg Asp
          165          170          175

Leu Glu Val Leu Thr Leu Asn Asn Asn Asn Ile Thr Arg Leu Ser Val
          180          185          190

Ala Ser Phe Asn His Met Pro Lys Leu Arg Thr Phe Arg Leu His Ser
          195          200          205

Asn Asn Leu Tyr Cys Asp Cys His Leu Ala Trp Leu Ser Asp Trp Leu
          210          215          220

Arg Lys Arg Pro Arg Val Gly Leu Tyr Thr Gln Cys Met Gly Pro Ser
          225          230          235          240

```

His	Leu	Arg	Gly	His 245	Asn	Val	Ala	Glu	Val 250	Gln	Lys	Arg	Glu	Phe 255	Val
Cys	Ser	Asp	Glu	Glu	Glu	Gly	His	Gln	Ser	Phe	Met	Ala	Pro	Ser	Cys
			260					265					270		
Ser	Val	Leu	His	Cys	Pro	Ala	Ala 280	Cys	Thr	Cys	Ser	Asn 285	Asn	Ile	Val
Asp	Cys	Arg	Gly	Lys	Gly	Leu 295	Thr	Glu	Ile	Pro	Thr 300	Asn	Leu	Pro	Glu
Thr 305	Ile	Thr	Glu	Ile	Arg 310	Leu	Glu	Gln	Asn	Thr 315	Ile	Lys	Val	Ile	Pro 320
Pro	Gly	Ala	Phe	Ser 325	Pro	Tyr	Lys	Lys	Leu 330	Arg	Arg	Ile	Asp	Leu 335	Ser
Asn	Asn	Gln	Ile 340	Ser	Glu	Leu	Ala	Pro 345	Asp	Ala	Phe	Gln	Gly 350	Leu	Arg
Ser	Leu	Asn 355	Ser	Leu	Val	Leu	Tyr 360	Gly	Asn	Lys	Ile	Thr 365	Glu	Leu	Pro
Lys	Ser 370	Leu	Phe	Glu	Gly	Leu 375	Phe	Ser	Leu	Gln	Leu 380	Leu	Leu	Leu	Asn
Ala 385	Asn	Lys	Ile	Asn	Cys 390	Leu	Arg	Val	Asp	Ala 395	Phe	Gln	Asp	Leu	His 400
Asn	Leu	Asn	Leu	Leu 405	Ser	Leu	Tyr	Asp	Asn 410	Lys	Leu	Gln	Thr	Ile 415	Ala
Lys	Gly	Thr	Phe 420	Ser	Pro	Leu	Arg	Ala 425	Ile	Gln	Thr	Met	His 430	Leu	Ala
Gln	Asn	Pro 435	Phe	Ile	Cys	Asp	Cys 440	His	Leu	Lys	Trp	Leu 445	Ala	Asp	Tyr
Leu	His 450	Thr	Asn	Pro	Ile	Glu 455	Thr	Ser	Gly	Ala	Arg 460	Cys	Thr	Ser	Pro
Arg 465	Arg	Leu	Ala	Asn	Lys 470	Arg	Ile	Gly	Gln	Ile 475	Lys	Ser	Lys	Lys	Phe 480
Arg	Cys	Ser	Gly	Thr 485	Glu	Asp	Tyr	Arg	Ser 490	Lys	Leu	Ser	Gly	Asp 495	Cys
Phe	Ala	Asp	Leu	Ala	Cys	Pro	Glu	Lys 505	Cys	Arg	Cys	Glu	Gly 510	Thr	Thr
Val	Asp	Cys 515	Ser	Asn	Gln	Lys	Leu 520	Asn	Lys	Ile	Pro	Glu 525	His	Ile	Pro
Gln	Tyr 530	Thr	Ala	Glu	Leu	Arg 535	Leu	Asn	Asn	Asn	Glu 540	Phe	Thr	Val	Leu
Glu 545	Ala	Thr	Gly	Ile	Phe 550	Lys	Lys	Leu	Pro	Gln 555	Leu	Arg	Lys	Ile	Asn 560
Phe	Ser	Asn	Asn	Lys 565	Ile	Thr	Asp	Ile	Glu 570	Glu	Gly	Ala	Phe	Glu 575	Gly
Ala	Ser	Gly	Val	Asn	Glu	Ile	Leu	Leu	Thr	Ser	Asn	Arg	Leu	Glu	Asn
			580					585					590		
Val	Gln	His	Lys	Met	Phe	Lys	Gly	Leu	Glu	Ser	Leu	Lys	Thr	Leu	Met

[illegible]

	595						600					605				
Leu 610	Arg 610	Ser	Asn	Arg	Ile	Thr 615	Cys	Val	Gly	Asn	Asp 620	Ser	Phe	Ile	Gly	
Leu 625	Ser	Ser	Val	Arg	Leu 630	Leu	Ser	Leu	Tyr	Asp 635	Asn	Gln	Ile	Thr	Thr 640	
Val	Ala	Pro	Gly	Ala 645	Phe	Asp	Thr	Leu	His 650	Ser	Leu	Ser	Thr	Leu 655	Asn	
Leu	Leu	Ala	Asn 660	Pro	Phe	Asn	Cys	Asn 665	Cys	Tyr	Leu	Ala	Trp 670	Leu	Gly	
Glu	Trp	Leu 675	Arg	Lys	Lys	Arg	Ile 680	Val	Thr	Gly	Asn	Pro 685	Arg	Cys	Gln	
Lys	Pro 690	Tyr	Phe	Leu	Lys	Glu 695	Ile	Pro	Ile	Gln	Asp 700	Val	Ala	Ile	Gln	
Asp 705	Phe	Thr	Cys	Asp	Asp 710	Gly	Asn	Asp	Asp	Asn 715	Ser	Cys	Ser	Pro	Leu 720	
Ser	Arg	Cys	Pro	Thr 725	Glu	Cys	Thr	Cys	Leu 730	Asp	Thr	Val	Val	Arg 735	Cys	
Ser	Asn	Lys	Gly 740	Leu	Lys	Val	Leu 745	Pro	Lys	Gly	Ile	Pro	Arg 750	Asp	Val	
Thr	Glu	Leu 755	Tyr	Leu	Asp	Gly	Asn 760	Gln	Phe	Thr	Leu	Val 765	Pro	Lys	Glu	
Leu	Ser 770	Asn	Tyr	Lys	His	Leu 775	Thr	Leu	Ile	Asp	Leu 780	Ser	Asn	Asn	Arg	
Ile 785	Ser	Thr	Leu	Ser	Asn 790	Gln	Ser	Phe	Ser	Asn 795	Met	Thr	Gln	Leu	Leu 800	
Thr	Leu	Ile	Leu	Ser 805	Tyr	Asn	Arg	Leu	Arg 810	Cys	Ile	Pro	Pro	Arg 815	Thr	
Phe	Asp	Gly	Leu 820	Lys	Ser	Leu	Arg	Leu 825	Leu	Ser	Leu	His	Gly 830	Asn	Asp	
Ile	Ser	Val 835	Val	Pro	Glu	Gly	Ala 840	Phe	Asn	Asp	Leu	Ser 845	Ala	Leu	Ser	
His 850	Leu	Ala	Ile	Gly	Ala	Asn 855	Pro	Leu	Tyr	Cys	Asp 860	Cys	Asn	Met	Gln	
Trp 865	Leu	Ser	Asp	Trp	Val 870	Lys	Ser	Glu	Tyr	Lys 875	Glu	Pro	Gly	Ile	Ala 880	
Arg	Cys	Ala	Gly	Pro	Gly	Glu	Met	Ala	Asp	Lys	Leu	Leu	Leu	Thr	Thr	
Pro	Ser	Lys	Lys	Phe	Thr	Cys	Gln	Gly	Pro	Val	Asp	Val	Asn	Ile	Leu	
			900						905				910			
Ala	Lys	Cys 915	Asn	Pro	Cys	Leu	Ser 920	Asn	Pro	Cys	Lys	Asn 925	Asp	Gly	Thr	
Cys	Asn 930	Ser	Asp	Pro	Val	Asp 935	Phe	Tyr	Arg	Cys	Thr 940	Cys	Pro	Tyr	Gly	
Phe 945	Lys	Gly	Gln	Asp	Cys 950	Asp	Val	Pro	Ile	His 955	Ala	Cys	Ile	Ser	Asn 960	
Pro	Cys	Lys	His	Gly	Gly	Thr	Cys	His	Leu	Lys	Glu	Gly	Glu	Glu	Asp	

965								970				975			
Gly	Phe	Trp	Cys	Ile	Cys	Ala	Asp	Gly	Phe	Glu	Gly	Glu	Asn	Cys	Glu
			980							985			990		
Val	Asn	Val	Asp	Asp	Cys	Glu	Asp	Asn	Asp	Cys	Glu	Asn	Asn	Ser	Thr
		995					1000					1005			
Cys	Val	Asp	Gly	Ile	Asn	Asn	Tyr	Thr	Cys	Leu	Cys	Pro	Pro	Glu	Tyr
	1010					1015						1020			
Thr	Gly	Glu	Leu	Cys	Glu	Glu	Lys	Leu	Asp	Phe	Cys	Ala	Gln	Asp	Leu
	1025				1030					1035				1040	
Asn	Pro	Cys	Gln	His	Asp	Ser	Lys	Cys	Ile	Leu	Thr	Pro	Lys	Gly	Phe
			1045						1050					1055	
Lys	Cys	Asp	Cys	Thr	Pro	Gly	Tyr	Val	Gly	Glu	His	Cys	Asp	Ile	Asp
		1060					1065						1070		
Phe	Asp	Asp	Cys	Gln	Asp	Asn	Lys	Cys	Lys	Asn	Gly	Ala	His	Cys	Thr
	1075						1080					1085			
Asp	Ala	Val	Asn	Gly	Tyr	Thr	Cys	Ile	Cys	Pro	Glu	Gly	Tyr	Ser	Gly
	1090					1095					1100				
Leu	Phe	Cys	Glu	Phe	Ser	Pro	Pro	Met	Val	Leu	Pro	Arg	Thr	Ser	Pro
	1105				1110					1115				1120	
Cys	Asp	Asn	Phe	Asp	Cys	Gln	Asn	Gly	Ala	Gln	Cys	Ile	Val	Arg	Ile
			1125						1130					1135	
Asn	Glu	Pro	Ile	Cys	Gln	Cys	Leu	Pro	Gly	Tyr	Gln	Gly	Glu	Lys	Cys
		1140					1145						1150		
Glu	Lys	Leu	Val	Ser	Val	Asn	Phe	Ile	Asn	Lys	Glu	Ser	Tyr	Leu	Gln
	1155					1160						1165			
Ile	Pro	Ser	Ala	Lys	Val	Arg	Pro	Gln	Thr	Asn	Ile	Thr	Leu	Gln	Ile
	1170					1175					1180				
Ala	Thr	Asp	Glu	Asp	Ser	Gly	Ile	Leu	Leu	Tyr	Lys	Gly	Asp	Lys	Asp
	1185				1190					1195				1200	
His	Ile	Ala	Val	Glu	Leu	Tyr	Arg	Gly	Arg	Val	Arg	Ala	Ser	Tyr	Asp
		1205					1210						1215		
Thr	Gly	Ser	His	Pro	Ala	Ser	Ala	Ile	Tyr	Ser	Val	Glu	Thr	Ile	Asn
			1220				1225					1230			
Asp	Gly	Asn	Phe	His	Ile	Val	Glu	Leu	Leu	Ala	Leu	Asp	Gln	Ser	Leu
	1235					1240						1245			
Ser	Leu	Ser	Val	Asp	Gly	Gly	Asn	Pro	Lys	Ile	Ile	Thr	Asn	Leu	Ser
	1250				1255					1260					
Lys	Gln	Ser	Thr	Leu	Asn	Phe	Asp	Ser	Pro	Leu	Tyr	Val	Gly	Gly	Met
	1265				1270					1275				1280	
Pro	Gly	Lys	Ser	Asn	Val	Ala	Ser	Leu	Arg	Gln	Ala	Pro	Gly	Gln	Asn
			1285				1290					1295			
Gly	Thr	Ser	Phe	His	Gly	Cys	Ile	Arg	Asn	Leu	Tyr	Ile	Asn	Ser	Glu
		1300					1305					1310			
Leu	Gln	Asp	Phe	Gln	Lys	Val	Pro	Met	Gln	Thr	Gly	Ile	Leu	Pro	Gly
	1315					1320					1325				

001660"54234550

Cys Glu Pro Cys His Lys Lys Val Cys Ala His Gly Thr Cys Gln Pro
1330 1335 1340

Ser Ser Gln Ala Gly Phe Thr Cys Glu Cys Gln Glu Gly Trp Met Gly
1345 1350 1355 1360

Pro Leu Cys Asp Gln Arg Thr Asn Asp Pro Cys Leu Gly Asn Lys Cys
1365 1370 1375

Val His Gly Thr Cys Leu Pro Ile Asn Ala Phe Ser Tyr Ser Cys Lys
1380 1385 1390

Cys Leu Glu Gly His Gly Gly Val Leu Cys Asp Glu Glu Glu Asp Leu
1395 1400 1405

Phe Asn Pro Cys Gln Ala Ile Lys Cys Lys His Gly Lys Cys Arg Leu
1410 1415 1420

Ser Gly Leu Gly Gln Pro Tyr Cys Glu Cys Ser Ser Gly Tyr Thr Gly
1425 1430 1435 1440

Asp Ser Cys Asp Arg Glu Ile Ser Cys Arg Gly Glu Arg Ile Arg Asp
1445 1450 1455

Tyr Tyr Gln Lys Gln Gln Gly Tyr Ala Ala Cys Gln Thr Thr Lys Lys
1460 1465 1470

Val Ser Arg Leu Glu Cys Arg Gly Gly Cys Ala Gly Gly Gln Cys Cys
1475 1480 1485

Gly Pro Leu Arg Ser Lys Arg Arg Lys Tyr Ser Phe Glu Cys Thr Asp
1490 1495 1500

Gly Ser Ser Phe Val Asp Glu Val Glu Lys Val Val Lys Cys Gly Cys
1505 1510 1515 1520

Thr Arg Cys Val Ser
1525

<210> 3
<211> 105
<212> PRT
<213> human

<400> 3
Ser Pro Cys Thr Cys Ser Asn Asn Ile Val Asp Cys Arg Gly Lys Gly
1 5 10 15

Leu Met Glu Ile Pro Ala Asn Leu Pro Glu Gly Ile Val Glu Ile Arg
20 25 30

Leu Glu Gln Asn Ser Ile Lys Ala Ile Pro Ala Gly Ala Phe Thr Gln
35 40 45

Tyr Lys Lys Leu Lys Arg Ile Asp Ile Ser Lys Asn Gln Ile Ser Asp
50 55 60

Ile Ala Pro Asp Ala Phe Gln Gly Leu Lys Ser Leu Thr Ser Leu Val
65 70 75 80

Leu Tyr Gly Asn Lys Ile Thr Glu Ile Ala Lys Gly Leu Phe Asp Gly
85 90 95

Leu Val Ser Leu Gln Leu Leu Leu Leu
100 105

<210> 4
 <211> 138
 <212> PRT
 <213> human

<400> 4
 Glu Gly Ala Phe Asn Gly Ala Ala Ser Val Gln Glu Leu Met Leu Thr
 1 5 10 15
 Gly Asn Gln Leu Glu Thr Val His Gly Arg Gly Phe Arg Gly Gly Leu
 20 25 30
 Ser Gly Leu Lys Thr Leu Met Leu Arg Ser Asn Leu Ile Gly Cys Val
 35 40 45
 Ser Asn Asp Thr Phe Ala Gly Leu Ser Ser Val Arg Leu Leu Ser Leu
 50 55 60
 Tyr Asp Asn Arg Ile Thr Thr Ile Thr Pro Gly Ala Phe Thr Thr Leu
 65 70 75 80
 Val Ser Leu Ser Thr Ile Asn Leu Leu Ser Asn Pro Phe Asn Cys Asn
 85 90 95
 Cys His Leu Gly Ala Gly Leu Gly Lys Trp Leu Arg Lys Arg Arg Ile
 100 105 110
 Val Ser Gly Asn Pro Arg Cys Gln Lys Pro Phe Phe Leu Lys Glu Ile
 115 120 125
 Pro Ile Gln Gly Val Gly His Pro Gly Ile
 130 135

<210> 5
 <211> 160
 <212> PRT
 <213> human

<400> 5
 Trp Pro Arg Cys Glu Cys Met Pro Gly Tyr Ala Gly Asp Asn Cys Ser
 1 5 10 15
 Glu Asn Gln Asp Asp Cys Arg Asp His Arg Cys Gln Asn Gly Ala Gln
 20 25 30
 Cys Met Asp Glu Val Asn Ser Tyr Ser Cys Leu Cys Ala Glu Gly Tyr
 35 40 45
 Ser Gly Gln Leu Cys Glu Ile Pro Pro His Leu Pro Ala Pro Lys Ser
 50 55 60
 Pro Cys Glu Gly Thr Glu Cys Gln Asn Gly Ala Asn Cys Val Asp Gln
 65 70 75 80
 Gly Asn Arg Pro Val Cys Gln Cys Leu Pro Gly Phe Gly Gly Pro Glu
 85 90 95
 Cys Glu Lys Leu Leu Ser Val Asn Phe Val Asp Arg Asp Thr Tyr Leu
 100 105 110
 Gln Phe Thr Asp Leu Gln Asn Trp Xaa Arg Xaa Asn Ile Thr Leu Gln
 115 120 125
 Val Phe Thr Ala Glu Asp Asn Gly Ile Leu Leu Tyr Asn Gly Gly Asn
 130 135 140
 Asp His Ile Ala Val Xaa Leu Tyr Xaa Gly His Val Arg Phe Ser Tyr

004500" 54204550

145

150

155

160

<210> 6
 <211> 103
 <212> PRT
 <213> human

<400> 6

Gln Cys His Ile Ser Asp Gln Gly Glu Pro Tyr Cys Leu Cys Gln Pro
 1 5 10 15

Gly Phe Ser Gly Glu His Cys Gln Gln Glu Asn Pro Cys Leu Gly Gln
 20 25 30

Val Val Arg Glu Val Ile Arg Arg Gln Lys Gly Tyr Ala Ser Cys Ala
 35 40 45

Thr Ala Ser Lys Val Pro Ile Met Glu Cys Arg Gly Gly Cys Gly Pro
 50 55 60

Gln Cys Cys Gln Pro Thr Arg Ser Lys Arg Arg Lys Tyr Val Phe Gln
 65 70 75 80

Cys Thr Asp Gly Ser Ser Phe Val Glu Glu Val Glu Arg His Leu Glu
 85 90 95

Cys Gly Cys Leu Ala Cys Ser
 100

<210> 7
 <211> 1480
 <212> PRT
 <213> Drosophila melanogaster

<400> 7

Met Ala Ala Pro Ser Arg Thr Thr Leu Met Pro Pro Pro Phe Arg Leu
 1 5 10 15

Gln Leu Arg Leu Leu Ile Leu Pro Ile Leu Leu Leu Leu Arg His Asp
 20 25 30

Ala Val His Ala Glu Pro Tyr Ser Gly Gly Phe Gly Ser Ser Ala Val
 35 40 45

Ser Ser Gly Gly Leu Gly Ser Val Gly Ile His Ile Pro Gly Gly Gly
 50 55 60

Val Gly Val Ile Thr Glu Ala Arg Cys Pro Arg Val Cys Ser Cys Thr
 65 70 75 80

Gly Leu Asn Val Asp Cys Ser His Arg Gly Leu Thr Ser Val Pro Arg
 85 90 95

Lys Ile Ser Ala Asp Val Glu Arg Leu Glu Leu Gln Gly Asn Asn Leu
 100 105 110

Thr Val Ile Tyr Glu Thr Asp Phe Gln Arg Leu Thr Lys Leu Arg Met
 115 120 125

Leu Gln Leu Thr Asp Asn Gln Ile His Thr Ile Glu Arg Asn Ser Phe
 130 135 140

Gln Asp Leu Val Ser Leu Glu Arg Leu Asp Ile Ser Asn Asn Val Ile

145	150								155						160		
Thr	Thr	Val	Gly	Arg 165	Arg	Val	Phe	Lys	Gly 170	Ala	Gln	Ser	Leu	Arg 175	Ser		
Leu	Gln	Leu	Asp 180	Asn	Asn	Gln	Ile	Thr 185	Cys	Leu	Asp	Glu	His 190	Ala	Phe		
Lys	Gly	Leu 195	Val	Glu	Leu	Glu	Ile 200	Leu	Thr	Leu	Asn 205	Asn	Asn	Asn	Leu		
Thr	Ser 210	Leu	Pro	His	Asn	Ile 215	Phe	Gly	Gly	Leu	Gly 220	Arg	Leu	Arg	Ala		
Leu 225	Arg	Leu	Ser	Asp	Asn 230	Pro	Phe	Ala	Cys	Asp 235	Cys	His	Leu	Ser	Trp 240		
Leu	Ser	Arg	Phe	Leu 245	Arg	Ser	Ala	Thr	Arg 250	Leu	Ala	Pro	Tyr	Thr 255	Arg		
Cys	Gln	Ser	Pro 260	Ser	Gln	Leu	Lys	Gly 265	Gln	Asn	Val	Ala	Asp 270	Leu	His		
Asp	Gln	Glu 275	Phe	Lys	Cys	Ser	Gly 280	Leu	Thr	Glu	His	Ala 285	Pro	Met	Glu		
Cys	Gly 290	Ala	Glu	Asn	Ser	Cys 295	Pro	His	Pro	Cys	Arg 300	Cys	Ala	Asp	Gly		
Ile 305	Val	Asp	Cys	Arg	Glu 310	Lys	Ser	Leu	Thr	Ser 315	Val	Pro	Val	Thr	Leu 320		
Pro	Asp	Asp	Thr	Thr 325	Asp	Val	Arg	Leu	Glu 330	Gln	Asn	Phe	Ile	Thr 335	Glu		
Leu	Pro	Pro	Lys 340	Ser	Phe	Ser	Ser	Phe 345	Arg	Arg	Leu	Arg	Arg 350	Ile	Asp		
Leu	Ser	Asn 355	Asn	Asn	Ile	Ser	Arg 360	Ile	Ala	His	Asp	Ala 365	Leu	Ser	Gly		
Leu	Lys 370	Gln	Leu	Thr	Thr	Leu 375	Val	Leu	Tyr	Gly	Asn 380	Lys	Ile	Lys	Asp		
Leu 385	Pro	Ser	Gly	Val	Phe 390	Lys	Gly	Leu	Gly	Ser 395	Leu	Arg	Leu	Leu	Leu 400		
Leu	Asn	Ala	Asn	Glu 405	Ile	Ser	Cys	Ile	Arg 410	Lys	Asp	Ala	Phe	Arg 415	Asp		
Leu	His	Ser	Leu 420	Ser	Leu	Leu	Ser	Leu 425	Tyr	Asp	Asn	Asn	Ile 430	Gln	Ser		
Leu	Ala	Asn 435	Gly	Thr	Phe	Asp	Ala 440	Met	Lys	Ser	Met	Lys 445	Thr	Val	His		
Leu	Ala 450	Lys	Asn	Pro	Phe	Ile 455	Cys	Asp	Cys	Asn	Leu 460	Arg	Trp	Leu	Ala		
Asp 465	Tyr	Leu	His	Lys	Asn 470	Pro	Ile	Glu	Thr	Ser 475	Gly	Ala	Arg	Cys	Glu 480		
Ser	Pro	Lys	Arg	Met 485	His	Arg	Arg	Arg	Ile 490	Glu	Ser	Leu	Arg	Glu 495	Glu		
Lys	Phe	Lys	Cys 500	Ser	Trp	Gly	Glu	Leu 505	Arg	Met	Lys	Leu	Ser 510	Gly	Glu		

	1970	1971	1972	1973	1974	1975	1976	1977	1978	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030	2031	2032	2033	2034	2035	2036	2037	2038	2039	2040	2041	2042	2043	2044	2045	2046	2047	2048	2049	2050	2051	2052	2053	2054	2055	2056	2057	2058	2059	2060	2061	2062	2063	2064	2065	2066	2067	2068	2069	2070	2071	2072	2073	2074	2075	2076	2077	2078	2079	2080	2081	2082	2083	2084	2085	2086	2087	2088	2089	2090	2091	2092	2093	2094	2095	2096	2097	2098	2099	2100	2101	2102	2103	2104	2105	2106	2107	2108	2109	2110	2111	2112	2113	2114	2115	2116	2117	2118	2119	2120	2121	2122	2123	2124	2125	2126	2127	2128	2129	2130	2131	2132	2133	2134	2135	2136	2137	2138	2139	2140	2141	2142	2143	2144	2145	2146	2147	2148	2149	2150	2151	2152	2153	2154	2155	2156	2157	2158	2159	2160	2161	2162	2163	2164	2165	2166	2167	2168	2169	2170	2171	2172	2173	2174	2175	2176	2177	2178	2179	2180	2181	2182	2183	2184	2185	2186	2187	2188	2189	2190	2191	2192	2193	2194	2195	2196	2197	2198	2199	2200	2201	2202	2203	2204	2205	2206	2207	2208	2209	2210	2211	2212	2213	2214	2215	2216	2217	2218	2219	2220	2221	2222	2223	2224	2225	2226	2227	2228	2229	2230	2231	2232	2233	2234	2235	2236	2237	2238	2239	2240	2241	2242	2243	2244	2245	2246	2247	2248	2249	2250	2251	2252	2253	2254	2255	2256	2257	2258	2259	2260	2261	2262	2263	2264	2265	2266	2267	2268	2269	2270	2271	2272	2273	2274	2275	2276	2277	2278	2279	2280	2281	2282	2283	2284	2285	2286	2287	2288	2289	2290	2291	2292	2293	2294	2295	2296	2297	2298	2299	2300	2301	2302	2303	2304	2305	2306	2307	2308	2309	2310	2311	2312	2313	2314	2315	2316	2317	2318	2319	2320	2321	2322	2323	2324	2325	2326	2327	2328	2329	2330	2331	2332	2333	2334	2335	2336	2337	2338	2339	2340	2341	2342	2343	2344	2345	2346	2347	2348	2349	2350	2351	2352	2353	2354	2355	2356	2357	2358	2359	2360	2361	2362	2363	2364	2365	2366	2367	2368	2369	2370	2371	2372	2373	2374	2375	2376	2377	2378	2379	2380	2381	2382	2383	2384	2385	2386	2387	2388	2389	2390	2391	2392	2393	2394	2395	2396	2397	2398	2399	2400	2401	2402	2403	2404	2405	2406	2407	2408	2409	2410	2411	2412	2413	2414	2415	2416	2417	2418	2419	2420	2421	2422	2
--	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	---

Met	Lys	Asp	Lys	Leu	Ile	Leu	Ser	Thr	Pro	Ser	Ser	Ser	Phe	Val	Cys
				885					890					895	
Arg	Gly	Arg	Val	Arg	Asn	Asp	Ile	Leu	Ala	Lys	Cys	Asn	Ala	Cys	Phe
			900					905					910		
Glu	Gln	Pro	Cys	Gln	Asn	Gln	Ala	Gln	Cys	Val	Ala	Leu	Pro	Gln	Arg
		915					920					925			
Glu	Tyr	Gln	Cys	Leu	Cys	Gln	Pro	Gly	Tyr	His	Gly	Lys	His	Cys	Glu
	930					935					940				
Phe	Met	Ile	Asp	Ala	Cys	Tyr	Gly	Asn	Pro	Cys	Arg	Asn	Asn	Ala	Thr
945					950					955					960
Cys	Thr	Val	Leu	Glu	Glu	Gly	Arg	Phe	Ser	Cys	Gln	Cys	Ala	Pro	Gly
				965					970					975	
Tyr	Thr	Gly	Ala	Arg	Cys	Glu	Thr	Asn	Ile	Asp	Asp	Cys	Leu	Gly	Glu
			980					985					990		
Ile	Lys	Cys	Gln	Asn	Asn	Ala	Thr	Cys	Ile	Asp	Gly	Val	Glu	Ser	Tyr
		995					1000					1005			
Lys	Cys	Glu	Cys	Gln	Pro	Gly	Phe	Ser	Gly	Glu	Phe	Cys	Asp	Thr	Lys
	1010					1015					1020				
Ile	Gln	Phe	Cys	Ser	Pro	Glu	Phe	Asn	Pro	Cys	Ala	Asn	Gly	Ala	Lys
1025					1030					1035					1040
Cys	Met	Asp	His	Phe	Thr	His	Tyr	Ser	Cys	Asp	Cys	Gln	Ala	Gly	Phe
				1045					1050					1055	
His	Gly	Thr	Asn	Cys	Thr	Asp	Asn	Ile	Asp	Asp	Cys	Gln	Asn	His	Met
			1060					1065					1070		
Cys	Gln	Asn	Gly	Gly	Thr	Cys	Val	Asp	Gly	Ile	Asn	Asp	Tyr	Gln	Cys
		1075					1080					1085			
Arg	Cys	Pro	Asp	Asp	Tyr	Thr	Gly	Lys	Tyr	Cys	Glu	Gly	His	Asn	Met
	1090					1095					1100				
Ile	Ser	Met	Met	Tyr	Pro	Gln	Thr	Ser	Pro	Cys	Gln	Asn	His	Glu	Cys
1105					1110					1115					1120
Lys	His	Gly	Val	Cys	Phe	Gln	Pro	Asn	Ala	Gln	Gly	Ser	Asp	Tyr	Leu
				1125					1130					1135	
Cys	Arg	Cys	His	Pro	Gly	Tyr	Thr	Gly	Lys	Trp	Cys	Glu	Tyr	Leu	Thr
			1140					1145					1150		
Ser	Ile	Ser	Phe	Val	His	Asn	Asn	Ser	Phe	Val	Glu	Leu	Glu	Pro	Leu
		1155					1160					1165			
Arg	Thr	Arg	Pro	Glu	Ala	Asn	Val	Thr	Ile	Val	Phe	Ser	Ser	Ala	Glu
	1170					1175					1180				
Gln	Asn	Gly	Ile	Leu	Met	Tyr	Asp	Gly	Gln	Asp	Ala	His	Leu	Ala	Val
1185					1190					1195					1200
Glu	Leu	Phe	Asn	Gly	Arg	Ile	Arg	Val	Ser	Tyr	Asp	Val	Gly	Asn	His
				1205					1210					1215	
Pro	Val	Ser	Thr	Met	Tyr	Ser	Phe	Glu	Met	Val	Ala	Asp	Gly	Lys	Tyr
			1220					1225					1230	</	

[illegible]

00750" 54204550

<400> 11
Ala Phe Lys Cys His His Gly Gln Cys His Ile Ser Asp Arg Gly Glu
1 5 10 15
Pro Tyr Cys Leu Cys Gln Pro Gly Phe Ser Gly His His Cys Glu Gln
20 25 30
Glu Asn Pro Cys Met Gly Glu Ile Val Arg Glu Ala Ile Arg Arg Gln
35 40 45
Lys Asp Tyr Ala Ser Cys Ala Thr Ala Ser Lys Val Pro Ile Met Glu
50 55 60
Cys Arg Gly Gly Cys Gly Thr Thr Cys Cys Gln Pro Ile Arg Ser Lys
65 70 75 80
Arg Arg Lys Tyr Val Phe Gln Cys Thr Asp Gly Ser Ser Phe Val Glu
85 90 95
Glu Val Glu Arg His Leu Glu Cys Gly Cys Arg Ala Cys Ser
100 105 110

<210> 12
<211> 134
<212> PRT
<213> mouse

<400> 12
His Leu Arg Val Leu Gln Leu Met Glu Asn Arg Ile Ser Thr Ile Glu
1 5 10 15
Arg Gly Ala Phe Gln Asp Leu Lys Glu Leu Glu Arg Leu Arg Leu Asn
20 25 30
Arg Asn Asn Leu Gln Leu Phe Pro Glu Leu Leu Phe Leu Gly Thr Ala
35 40 45
Arg Leu Tyr Arg Leu Asp Leu Ser Glu Asn Gln Ile Gln Ala Ile Pro
50 55 60
Arg Lys Ala Phe Arg Gly Ala Val Asp Ile Lys Asn Leu Gln Leu Asp
65 70 75 80
Tyr Asn Gln Ile Ser Cys Ile Glu Asp Gly Ala Phe Arg Ala Leu Arg
85 90 95
Asp Leu Glu Val Leu Thr Leu Asn Asn Asn Ile Thr Arg Leu Ser
100 105 110
Val Ala Ser Phe Asn His Met Pro Lys Leu Arg Thr Phe Arg Leu His
115 120 125
Ser Asn Asn Leu Tyr Cys
130

<210> 13
<211> 104
<212> PRT
<213> mouse

<400> 13
Asn Asn Asp Asp Cys Val Gly His Lys Cys Arg His Gly Ala Gln Cys
1 5 10 15
Val Asp Glu Val Asn Gly Tyr Thr Cys Ile Cys Pro Gln Gly Phe Ser

	20		25		30	
Gly	Leu	Phe	Cys	Glu	His	Pro
	35					40
Pro	Cys	Asp	Gln	Tyr	Glu	Cys
	50					55
Gln	Gln	Glu	Pro	Thr	Cys	Arg
	65				70	
Cys	Glu	Lys	Leu	Ile	Thr	Val
			85			90
Glu	Leu	Ala	Ser	Ala	Lys	Val
			100			Arg

<210> 14
 <211> 243
 <212> PRT
 <213> mouse

<400> 14

Ile	Leu	Asp	Val	Ala	Ser	Leu	Arg	Gln	Ala	Pro	Gly	Glu	Asn	Gly	Thr
1				5					10					15	
Ser	Phe	His	Gly	Cys	Ile	Arg	Asn	Leu	Tyr	Ile	Asn	Ser	Glu	Leu	Gln
			20					25					30		
Asp	Phe	Arg	Lys	Met	Pro	Met	Gln	Thr	Gly	Ile	Leu	Pro	Gly	Cys	Glu
		35					40					45			
Pro	Cys	His	Lys	Lys	Val	Cys	Ala	His	Gly	Cys	Cys	Gln	Pro	Ser	Ser
	50					55					60				
Gln	Ser	Gly	Phe	Thr	Cys	Glu	Cys	Glu	Glu	Gly	Trp	Met	Gly	Pro	Leu
	65				70					75					80
Cys	Asp	Gln	Arg	Thr	Asn	Asp	Pro	Cys	Leu	Gly	Asn	Lys	Cys	Val	His
				85					90					95	
Gly	Thr	Cys	Leu	Pro	Ile	Asn	Ala	Phe	Ser	Tyr	Ser	Cys	Lys	Cys	Leu
			100					105					110		
Glu	Gly	His	Gly	Gly	Val	Leu	Cys	Asp	Glu	Glu	Glu	Asp	Leu	Phe	Asn
		115					120					125			
Pro	Cys	Gln	Met	Ile	Lys	Cys	Lys	His	Gly	Lys	Cys	Arg	Leu	Ser	Gly
	130					135					140				
Val	Gly	Gln	Pro	Tyr	Cys	Glu	Cys	Asn	Ser	Gly	Phe	Thr	Gly	Asp	Ser
	145				150					155					160
Cys	Asp	Arg	Glu	Ile	Ser	Cys	Arg	Gly	Glu	Arg	Ile	Arg	Asp	Tyr	Tyr
				165					170					175	
Gln	Lys	Gln	Gln	Gly	Tyr	Ala	Ala	Cys	Gln	Thr	Thr	Lys	Lys	Val	Ser
			180					185						190	
Arg	Leu	Glu	Cys	Arg	Gly	Gly	Cys	Ala	Gly	Gly	Gln	Cys	Cys	Gly	Pro
	195						200					205			
Leu	Arg	Ser	Lys	Arg	Arg	Lys	Tyr	Ser	Phe	Glu	Cys	Thr	Asp	Gly	Ser
	210					215					220				
Ser	Phe	Val	Asp	Glu	Val	Glu	Lys	Val	Val	Lys	Cys	Gly	Cys	Ala	Arg
	225				230					235					240

